

NATURE IN EUROBODALLA

Number 40 (2025)



Compiled by D Kay and J Morgan

EUROBODALLA NATURAL HISTORY SOCIETY

The objects of the Society are to:

- Foster and encourage the study, enjoyment and conservation of the natural environment of the area;
- Arrange indoor meetings and field excursions for these ends;
- Encourage and train members in the keeping of records of the wildlife of the area;
- Prepare reports of these records from time to time;
- Liaise with other societies, organizations and individuals with similar interests.

COMMITTEE

Chair/Recorder: Julie Morgan

Secretary: Annie Loveband

Treasurer: Malcolm Griggs

Members:

Julie Collett Vivien Howard

Paul Gatenby Isis Joyce

Gee Hounsell Deb Stevenson

Annual Subscription
Single \$20, Family \$30, Under 18 \$5

Date of Issue: October 2026

(c) Eurobodalla Natural History Society, PO Box 888, Moruya NSW 2537

Cover: Great Crested Grebe at Deep Creek Dam

Photo G Clark

CONTENTS

INTRODUCTION	3
SYSTEMATIC LIST	
Birds	5
Mammals	27
Reptiles	29
Amphibians	31
Insects	31
Dragonflies and Damselflies	31
Grasshoppers, Crickets and Katydid	32
Bugs and Cicadas	32
Beetles	32
Flies	33
Moths	34
Butterflies	38
Wasps and Bees	39
Other Invertebrates	39
Contributors to this issue	41

INTRODUCTION

Nature in Eurobodalla 40 provides a summary of the status of the fauna of the Eurobodalla Shire compiled from records submitted to the Eurobodalla Natural History Society during 2025. The report is restricted to those species recorded during the year; species not recorded are not listed. An annotated list of all bird species recorded in the Eurobodalla since the Society's inception in 1986 is available on the Society's website (www.enhs.org.au) and is updated annually to reflect new sightings. A map of the Shire is also available on the Society's website.

2025 was another warm year in New South Wales, with both maximum and minimum temperatures above average over much of the State. The area-averaged mean temperature in 2025 was 18.8 C, 1.49°C above the 1961–1990 average, making it the fifth-warmest on record for all years since 1910. In the Eurobodalla, the Bureau of Meteorology station at Narooma set a record for its warmest night (highest daily minimum temperature), with 22°C on 14 February. The same station also set a record for its coldest night (lowest daily minimum temperature) with minus 0.5°C on 31 August.

Whilst rainfall for the year was above average for much of the coast, it was average for the Eurobodalla. The Bureau of Meteorology stations in the Shire recorded 983mm Moruya Heads (103% of the long-term average), 1034mm at Narooma (112%) and 829mm at Montague Island (96%). January was the wettest month with members recording 286mm at Comerang, 282mm at Bergalia, 225mm at Maulbrooks Rd and 194 at Coolagolite. October was the driest month with just 2.5mm at Comerang, 3mm at Bergalia, 4mm at Maulbrooks Rd and 6mm at Coolagolite.

The year provided a report of just one bird species not previously recorded in the Shire, a Letter-winged Kite (*Elanus scriptus*) at Turlinjah in June. In addition, some seldom recorded species were also sighted; Plumed Whistling Duck (*Dendrocygna eytoni*) at Comerang in August, Great Crested Grebe (*Podiceps cristatus*) at Deep Creek Dam in October and Black-tailed Godwit (*Limosa limosa*) at Narooma and Tilba Lake in May. Beach Stone-curlew (*Esacus magnirostris*) were reported for the third year in a row, at Narooma in October and at South Durras in December.

Perhaps the most notable absentees from the records in 2025 were Albatross. For the first time since the Society started to maintain records, there was not a single report of any Albatross species during the year.

A new reptile species was reported, the Golden-crowned Snake *Cacophis squamulosus*, at Nerrigundah in March. Another snake, the Common Green Tree Snake (*Dendrelaphis punctulata*), was reported at Brou Lake in August and this was the first record for the society since 2002. The report of a Narrow-winged Pearl-white (*Elodina padusa*) butterfly at Mossy Point in October is a first for the Eurobodalla and according to Atlas of Living Australia database, also represents a southerly extension of the range. A number of butterfly species that had not previously recorded by the society were also reported in 2025. A Copper Ant-blue (*Acrodipsas cuprea*) female was seen at Comerang in January. This is only the third location in the Eurobodalla where the species has been recorded. Other new butterflies for the society were Dark Pencil-blue (*Candalides consimilis*) which was reported at Mossy Point in November and the Dull Heath-blue (*Noelucia mathewi*) at Long Nose Point in October.

The taxonomic sequence in which the bird species are listed follows the Birdlife Australia Working List of Australian Birds v4 published in December 2022. The taxonomic sequence used for other vertebrate species basically follows Clayton *et al* (2006). Taxonomic references used in compiling this report are listed below. The conservation status ascribed to bird species (Critically Endangered, Endangered and Vulnerable) is that given in Schedule 1 of the NSW Biodiversity Conservation Act, 2016.

Once again, my thanks go to all contributors who have made this report possible. I particularly thank my co-complier, Julie Morgan, for her work as the Society's Recorder during the year. A complete list of those who have contributed observations during the year appears on the final page.

David Kay
October 2026

References

Birdlife Australia (2022), *Working Lists of Australian Birds v4*.
<http://www.birdlife.org.au/conservation/science/taxonomy>.

Braby, M.F. (2004): *The Complete Field Guide to the Butterflies of Australia*. CSIRO Publishing, Melbourne.

Brock, P.D. and Hasenpusch, J.W. (2009): *The Complete Field Guide to Stick and Leaf Insects of Australia*. CSIRO Publishing, Melbourne.

Clayton, M., Wombey, J.C., Mason, I.J., Chesser, R.T and Wells, A. (2006): *CSIRO List of Australian Vertebrates: A Reference with Conservation Status*. CSIRO Publishing, Melbourne.

Common, I.F.B. (1990): *Moths of Australia*. Melbourne University Press, Carlton.

Hangay, G. and Paul Zborowski, P. (2010): *A Guide to the Beetles of Australia*. CSIRO Publishing, Melbourne.

Hewish, M. (2014). *Moths of Victoria: Part 5 Satin Moths and Allies*. Entomological Society of Victoria, Brunswick.

Higgins, P. and Peter, J. M. (eds.): *Handbook of Australian, New Zealand and Antarctic Birds*. Oxford University Press, South Melbourne.

Moulds, M.S. (1990): *Australian Cicadas*, New South Wales University Press.

Nielsen E.S., Edwards E.D., and Rangsit T.V. (1996): *Monograph of Australian Lepidoptera, Vol 4; Checklist of the Lepidoptera of Australia* CSIRO Publishing, Melbourne.

Theischinger G. and Hawking J. (2006): *The Complete Field Guide to Dragonflies of Australia*. CSIRO Publishing, Melbourne.

BIRDS

CASUARIIDAE Emu.

Emu *Dromaius novaehollandiae*

Status: introduced in 1993, small wild population established.

Six at Bodalla in Sep, 2 in Jul; 2 at Dalmeny in Nov; 1 at Brou Lake in Nov and Dec.

Breeding: 5 young at Bodalla in Sep and 1 at Dalmeny in Nov. (T&A Ross/H Watson)

PHASIANIDAE Quail, pheasants.

Stubble Quail *Coturnix pectoralis*

Status: uncommon breeding resident.

Up to 20 at Comerang in Jan-Apr and Nov-Dec, 10 most other months; 1 at Coolagolite in Oct.

(JC/DO)

Brown Quail *Synoicus ypsilophorus*

Status: uncommon breeding resident.

Four at Tilba in Oct; small flock at Broulee in Apr; 2 at Comerang in Mar, calls most other months, 1 at Batemans Bay in Jan.

ANATIDAE Swans, geese, ducks.

Plumed Whistling-Duck *Dendrocygna eytoni*

Status: vagrant.

Two at Comerang in Aug and Sep. (JC)

Blue-billed Duck *Oxyura australis*

Status: Vulnerable; vagrant.

Nine at Barlings Swamp in Oct, 8 in Jul. (FM/MA)

Musk Duck *Biziura lobata*

Status: uncommon breeding resident.

Twenty at Tilba Lake in Jun, 8 in Sep; 9 at Mystery Bay in Oct; 6 at Pedro Swamp in Jun; 5 at Brou Lake in Jan; 4 at Kianga Lake in Feb; single birds at 4 other locations during the year.

Breeding: juvenile at Pedro Swamp in Oct. (JM)

Freckled Duck *Stictonetta naevosa*

Status: Vulnerable; vagrant.

Twelve at Newstead Pond, South Head, Moruya in Jul, 9 in Jun, 8 in Oct and 1 in Jan.

Black Swan *Cygnus atratus*

Status: common breeding resident and bird of passage.

Widely reported throughout the year, up to 170 at Brou Lake in Nov; 150 at Mystery Bay in Feb and Sep; 42 at Comerang in Aug; 34 at Barlings Swamp in Oct; 20 at Coila Lake in Nov; fewer than 20 at other locations.

Breeding: cygnets at Barlings Swamp in Oct. (FM)

Australian Shelduck *Tadorna tadornoides*

Status: vagrant.

Eight at Comerang in Oct-Dec, 6 in Apr, 2 in Jul-Aug.

Breeding: young at Comerang in Oct. (JC/FM)

Australian Wood Duck *Chenonetta jubata*

Status: common breeding resident.

Widely reported throughout the year; up to 100 at Comerang in Jul, 60 in Aug; 50 at Eurobodalla Rd in Aug; 30 at South Head, Moruya in Jan, at Mystery Bay in Feb and Jul, at Moruya in Jul and at Bergalia in Oct-Nov; fewer than 30 at other locations.

Breeding: dependent young in Jan-Feb and Sep-Nov, juvenile in Oct.

Hardhead *Aythya australis*

Status: common resident and bird of passage.

Up to 40 at Comerang in Aug, 1 in Oct-Nov; 20 at Newstead Pond, South Head, Moruya in Oct, 2 in Jan; 2 at Barlings Swamp in Oct; 1 at Bermagui in Feb and at Pedro Swamp in May.

Australasian Shoveler *Spatula rhynchotis*

Status: uncommon winter migrant, has bred.

Three at Comerang in Mar-Apr, 2 in Jul and Oct. (JC)

Pacific Black Duck *Anas superciliosa*

Status: common breeding resident.

Widely reported throughout the year; up to 300 at Comerang in Apr and Jul, 200 in Aug-Dec; 40 at Mystery Bay in Jul; 23 at Barlings Swamp in Oct; 20 at South Durras in Mar; fewer than 20 at other locations.

Breeding: dependent young in Oct-Dec. (FM/SMG)

Mallard *Anas platyrhynchos*

Status: vagrant.

Five at Comerang in Apr, 3 in Sep, 1 in Oct. (JC/FM)

Grey Teal *Anas gracilis*

Status: breeding resident.

Reported throughout the year; up to 35 at Tomakin in Oct; 15 at Comerang in Oct; 14 at Moruya in Apr and at Barlings Swamp in Oct; 10 at South Head, Moruya in Oct; no more than 6 at other locations.

Chestnut Teal *Anas castanea*

Status: common breeding resident.

Reported throughout the year; up to 100 at Comerang in Jul; 80 at Bumbo Rd in Jul; 70 at Tomakin in Oct; 39 at South Durras in Jan; 30 at South Head, Moruya in Jul; fewer than 20 at other locations.

Breeding: dependent young at Batemans Bay Water Gardens in Nov. (FM)

PODICIPEDIDAE Grebes.**Australasian Grebe** *Tachybaptus novaehollandiae*

Status: common breeding resident.

Up to 50 at Barlings Swamp in Oct; 15 at Pedro Swamp in Jun and at Comerang in Oct; 12 at Eurobodalla Rd in Aug; 11 at Bingie in Jul; no more than 6 at other locations.

Hoary-headed Grebe *Poliiocephalus poliocephalus*

Status: breeding resident.

Up to 32 at Pedro Swamp in May, 20 in Jun; 12 at Mystery Bay in Oct; 8 at Moruya in Jul; 6 at Barlings Swamp in Oct; 5 at Tilba in Apr; no more than 3 at other locations.

Great Crested Grebe *Podiceps cristatus*

Status: vagrant.

Up to 6 at Deep Creek Dam in Oct, 1 in Aug. (GC/NC/SH/PB)

COLUMBIDAE Pigeons, doves.**Rock Dove** *Columba livia*

Status: common breeding resident.

Established colonies at Batemans Bay, Moruya and Narooma; up to 60 at Moruya in Oct; 30-40 at Narooma most months; 10 at Comerang in Jan-Apr; 1 at Batemans Bay Water Gardens in Nov.

Breeding: nesting at Moruya in Oct. (SH/PB)

White-headed Pigeon *Columba leucomela*

Status: common breeding resident.

Recorded in all months; 8 at South Head, Moruya in May, at Narooma in Aug and at Maulbrooks Rd in Nov; 6 at Mystery Bay and Pedro in May; no more than 3 at other locations.

Spotted Dove *Spilopelia chinensis*

Status: breeding resident.

Recorded in all months; 2 at Mystery Bay each month, at South Durras in Mar, at Gulaga in Jun and Broulee in Sep-Oct; 1 at South Head, Moruya in Oct.

Brown Cuckoo-Dove *Macropygia phasianella*

Status: uncommon breeding resident and bird of passage.

Up to 13 at Maulbrooks Rd in Oct; 10 at Pedro in Dec; 6 at Coolagolite in Aug-Sep; 4 at Tilba in Dec; single birds at 4 other locations during the year.

Wonga Pigeon *Leucosarcia melaoleuca*

Status: common breeding resident.

Five at Coolagolite in Jan; 4 at Mystery Bay most months; 2 at Maulbrooks Rd in Jan-Feb and Oct-Dec; 1 or calls at other locations.

Common Bronzewing *Phaps chalcoptera*

Status: common breeding resident.

Widely recorded in all months; up to 30 at Maulbrooks Rd in Feb-Mar; 14 at Pedro in May; 12 at Broulee in Jan; no more than 4 at other locations.

Crested Pigeon *Ocyphaps lophotes*

Status: common breeding resident.

Eight at Broulee in Jun-Jul; 6 at Mystery Bay in Mar and at Narooma in Apr; 5 at Comerang in Jan-Feb and Nov-Dec and at Bergalia and Wallaga Lake in Feb; 4 at South Durras in Mar; no more than 3 at other locations.

Breeding: nesting at Comerang in Oct, dependent young in Nov. (JC)

Peaceful Dove *Geopelia striata*

Status: breeding resident but becoming less common.

Two at Belowra in May, 1 in Dec. (JC)

Bar-shouldered Dove *Geopelia humeralis*

Status: uncommon resident.

Four at Broulee in Oct, 3 in Sep, 2 in May; 2 at South Durras in Apr; 1 at Tuross in May, at Mossy Point and Mystery Bay in Oct and at Coila Lake in Nov.

Topknot Pigeon *Lopholaimus antarcticus*

Status: bird of passage.

Twelve at Mummaga Lake in Oct; 8 at Pedro Swamp in Apr; 7 at Meringo in May; 4 at Tilba in Dec; 2 at South Durras in Aug and 1 at Narooma in Mar.

PODARGIDAE Frogmouths.

Tawny Frogmouth *Podargus strigoides*

Status: breeding resident.

Five at Pedro in Jan, 2 in Feb-Mar; 3 at South Durras in Mar; 2 at Mystery Bay in Jun-Jul and Sep; 1 at Nerrigundah in Mar and Dec, at Comerang in Apr and at Coolagolite in Sep.

Breeding: dependent young at Pedro in Jan. (JS)

EUROSTOPODIDAE Eared Nightjars.

White-throated Nightjar *Eurostopodus mystacalis*

Status: summer breeding migrant.

Recorded Jan-Feb and Sep-Dec; up to 6 at Pedro Swamp in Jan, 4 in Feb, 3 in Oct, calls in Sep and Nov-Dec. (JM)

AEGOTHELIDAE Owlet-nightjars.

Australian Owlet-nightjar *Aegotheles cristatus*

Status: breeding resident.

One at Comerang in Mar; calls at Comerang and at Pedro Swamp in Sep. (JC/JM)

APODIDAE Swifts.

White-throated Needle-tail *Hirundapus caudacutus*

Status: Vulnerable; summer migrant.

Reported Jan-Mar and Nov-Dec; up to 300 at Surfside in Jan, 60 in Mar; 60 at Pedro Swamp in Jan; 30 at Broulee in Jan; 25 at Coolagolite in Jan; 20 at Pedro in Jan-Feb; no more than 12 at other locations.

Fork-tailed Swift *Apus pacificus*

Status: rare summer migrant.

Up to 100 at Surfside on 20 Mar. (DB)

CUCULACIDAE Cuckoos.

Eastern Koel *Eudynamys orientalis*

Status: summer breeding migrant.

Reported Jan-Feb and Sep-Dec; 10 at Broulee in Jan, 5 in Oct; 6 at South Durras in Jan; 4 at Mystery Bay in Jan; 3 at Comerang in Oct; 1-2 or calls at 8 other locations.

Breeding: juvenile at Bergalia in Feb. (DHK)

Channel-billed Cuckoo *Scythrops novaehollandiae*

Status: summer breeding migrant.

Reported Jan-Feb and Sep-Dec; 6 at Pedro in Oct, 3 in Jan and Nov; 3 at Lilli Pilli in Jan and at Moruya in Sep; 1-2 or calls at 10 other locations.

Breeding: juveniles at Lilli Pilli and Pedro in Jan and at Mystery Bay in Dec, all being fed by Pied Currawong. (J Mather/JS/MA)

Horsfield's Bronze-Cuckoo *Chalcites basalus*

Status: summer breeding migrant.

Single birds at Brou Lake in Nov and at Pedro Swamp in Nov-Dec; calls at Mystery Bay in Apr and at Pedro in Oct.

Breeding: juvenile at Brou Lake in Nov. (FM)

Shining Bronze-Cuckoo *Chalcites lucidus*

Status: summer breeding migrant and bird of passage.

Four at Eurobodalla Regional Botanic Gardens in Oct; 2 at Meringo in Sep and at Comerang in Oct; 1 or calls at 7 other locations during the year.

Fan-tailed Cuckoo *Cacomantis flabelliformis*

Status: common breeding resident.

Recorded in all months except Jun; 4 at Pedro Swamp in Sep; 3 at Meringo in Sep and at Eurobodalla Regional Botanic Gardens in Oct; 1-2 or calls at 12 other locations.

Brush Cuckoo *Cacomantis variolosus*

Status: summer breeding migrant.

Single birds at Pedro Swamp in Jan and Oct-Nov, at Bingie in Apr, at Mystery Bay in Aug, at Comerang in Oct; calls at Maulbrooks Rd in Nov.

Breeding: juvenile at Bingie in Apr. (AM)

Pallid Cuckoo *Heteroscenes pallidus*

Status: summer breeding migrant.

Two at Comerang in Oct-Dec; 1 at Nerrigundah in Sep, at Pedro Swamp in Oct and at Belowra in Dec. (JC/IS/JM)

RALLIDAE Rails, crakes, swamphens.

Lewin's Rail *Lewinia pectoralis*

Status: rare resident.

Single bird at Narooma on 16 Jan. (MA)

Buff-banded Rail *Hypotaenidia philippensis*

Status: rare breeding resident.

Two at Narooma in Mar, 1 in Jun; 1 at Batemans Bay Water Gardens in Nov. (RSor/A Christiansen/NC)

Australian Spotted Crake *Porzana fluminea*

Status: rare resident.

One at Batemans Bay Water Gardens in Nov. (FM/NC)

Spotless Crake *Zapornia tabuensis*

Status: rare resident.

One at Batemans Bay Water Gardens in Jun and Nov. (DB/NC)

Purple Swampphen *Porphyrio porphyrio*

Status: common breeding resident.

Widely recorded throughout the year; up to 40 at Moruya in Apr; 30 at Batemans Bay Water Gardens in Nov; 25 at Mystery Bay in Jun; 11 at Bergalia in Oct; 10 at South Durras in Mar; fewer than 10 at other locations.

Breeding: dependent young in Jan-Apr and Oct-Dec.

Dusky Moorhen *Gallinula tenebrosa*

Status: uncommon breeding resident.

Seven at Batemans Bay Water Gardens in Nov, 4 in Aug; 3 at South Head, Moruya in Oct; 2 at Moruya in Apr and at Bumbo Rd in Jul; single birds at 4 other locations during the year.

Eurasian Coot *Fulica atra*

Status: common breeding resident.

Up to 500 at Kianga in Apr; 400 at Corunna Lake in May; 180 at Tilba in Apr; 80 at Comerang in Sep; 70 at Barlings Swamp in Oct; 65 at Bumbo Rd in Jul; 30 at Batemans Bay Water Gardens in Apr; no more than 10 at other locations.

OCEANITIDAE Southern Storm-Petrels

White-faced Storm-Petrel *Pelagodroma marina*

Status: summer migrant breeding on Montagu Is.

One at Bengello Beach on 3 Mar. (L Dampney)

PROCELLARIIDAE Petrels, shearwaters.

Southern Giant-Petrel *Macronectes giganteus*

Status: Endangered, regularly recorded in coastal waters, more common in winter.

One juvenile off Burrewarra Point on 30 Jul. (NC)

Shearwater sp.

Hundreds flying south off Burrewarra Point on 18 Sep and off Dalmeny on 18 Oct; many reported off South Durras on 12 Dec; single birds dead on the beach at Mystery Bay on 8 Nov and 7 Dec. (NC/M Craig/JCof/MA)

THRESKIORNITHIDAE Ibis, spoonbills.

Yellow-billed Spoonbill *Platalea flavipes*

Status: migrant.

One at Bergalia on 9 Jan. (DHK)

Royal Spoonbill *Platalea regia*

Status: common resident.

Twenty two at Comerang in Mar-Apr; 20 at Narooma in Dec; 14 at Batemans Bay Water Gardens in Jun; 12 at Mystery Bay in Mar and at Nangudga in Jun; no more than 2 at other locations.

Straw-necked Ibis *Threskiornis spinicollis*

Status: winter-spring migrant and bird of passage.

Up to 300 at Moruya in Apr, 200 in May; 150 at Meringo in May; 100 at Bergalia in Jan; 90 at Comerang in Aug; 80 at Eurobodalla Rd in Aug; 13 at Gulaga in Jun; no more than 10 at other locations.

Australian White Ibis *Threskiornis moluccus*

Status: common resident and winter-spring migrant.

Up to 300 at Moruya in Apr, 200 in May; 120 at Comerang in Apr, 110 in Jul; 78 at Broulee in Feb; 40 at Batemans Bay Water Gardens in Jun; 30 at Bergalia in Apr; no more than 20 at other locations.

ARDEIDAE Bitterns, herons, egrets.

Nankeen Night Heron *Nycticorax caledonicus*

Status: uncommon breeding resident.

Eight at Batemans Bay Water Gardens in Nov; 7 at Bumbo Rd in Aug, at South Head, Moruya in Oct and at Comerang in Dec; 3 at South Durras in Dec; 1 at Moruya in Jul.

Striated Heron *Butorides striata*

Status: uncommon breeding resident.

Four at Narooma in Mar; 1 at Broulee in Mar. (FM/GH)

Cattle Egret *Bubulcus ibis*

Status: common autumn-spring migrant.

Recorded Mar-Nov; up to 50 at Moruya in Apr and Aug; 35 at Mystery Bay in Jun; 18 at Comerang in Oct; 14 at Narooma in Apr; 10 at Gulaga in Jun; 6 at Meringo in May.

White-necked Heron *Ardea pacifica*

Status: breeding resident.

Two at Bergalia in Jan and at Comerang in Mar and Oct-Nov; single birds at 10 other locations during the year.

Great Egret *Ardea alba*

Status: common resident.

Thirty five at Mystery Bay in Jun, 20 in Jul; 8 at Kianga in Apr; 6 at South Durras in Jan and at Batemans Bay Water Gardens in Nov; no more than 4 at other locations.

Intermediate Egret *Ardea intermedia*

Status: uncommon migrant.

Single birds at Comerang in Jan, Aug and Oct, at Bodalla in Feb and at Narooma in May, Jul and Oct. (JC/MA/FM)

White-faced Heron *Egretta novaehollandiae*

Status: common breeding resident.

Widely reported in all months; 50 at Comerang in Jul-Aug; 32 at Mystery Bay in May; 25 at Bodalla in Feb; 24 at Narooma in Mar; 8 at Wallaga Lake in Feb; 6 at Eurobodalla Rd in Aug; no more than 4 at other locations.

Little Egret *Egretta garzetta*

Status: common resident.

Eight at Mystery Bay in Apr, 6 in Jan-Mar, May and Oct-Dec; 2 at Wallaga Lake in Feb and at Brou Lake in Nov; 1 at Mossy Point in Oct. (MA/FM/SH/PB)

Eastern Reef Egret *Egretta sacra*

Status: resident.

Two at Mystery Bay in Jan-Feb, at Wallaga Lake in Feb, at Narooma in May and at Bermagui in Jul; single birds at 7 other locations during the year.

PELICANIDAE Pelican.

Australian Pelican *Pelecanus conspicillatus*

Status: common resident.

Widely reported in all months; up to 50 at Coolagolite in Oct; 40 at Wallaga Lake in Feb; 30 at Bumbo Rd in Aug and at Moruya in Nov; 20 at Mystery Bay in Dec; 17 at Narooma in Mar; no more than 15 at other locations.

SULIDAE Gannets, boobies.

Australasian Gannet *Morus serrator*

Status: common winter migrant and bird of passage.

Ten off Pedro Point in Apr; 6 off Mystery Bay in Apr and Jun and off Burrewarra Point in Jun; 4 off Lilli Pilli in May, off South Durras in Jun and off Brou Lake in Aug; no more than 2 at other locations.

PHALACROCORACIDAE Cormorants.

Little Pied Cormorant *Microcarbo melanoleucos*

Status: common breeding resident.

Widely reported in all months; 23 at Narooma in Mar; 16 at Brou Lake in Nov; 12 at Mystery Bay in Jun and Dec; 10 at South Durras in Mar; no more than 6 at other locations.

Great Cormorant *Phalacrocorax carbo*

Status: common resident.

Widely reported in all months; up to 300 at Moruya in Nov; 250 at Bumbo Rd in Aug, 210 in Jul; 80 at North Head, Moruya in Oct; 40 at Mystery Bay in Sep; 30 at Wallaga Lake in Feb and at South Durras in Mar; no more than 25 at other locations.

Little Black Cormorant *Phalacrocorax sulcirostris*

Status: common resident.

Up to 260 at South Head, Moruya in Oct; 100 at Coolagolite in Oct; 25 at Wallaga Lake in Feb; 12 at Mystery Bay in Feb; 10 at Pedro Swamp in Oct; fewer than 10 at other locations.

Great Pied Cormorant *Phalacrocorax varius*

Status: uncommon resident.

Nine at Kianga in Apr, 6 in Feb; 5 at Coila Lake in Nov; 4 at Broulee in Jul and at Mossy Point in Oct; 3 at South Head, Moruya in Oct; no more than 2 at other locations.

ANHINGIDAE Darter.

Australasian Darter *Anhinga novaehollandiae*

Status: breeding resident.

Nine at Comerang in Mar, 2 in Dec; 4 at Narooma in Mar; single birds at 5 other locations during the year.

BURHINIDAE Stone curlews

Beach Stone-curlew *Esacus magnirostris*

Status: Critically Endangered; vagrant.

One at Narooma in Oct and at South Durras in Dec. (MA/JCof)

HAEMATOPODIDAE Oystercatchers.

Australian Pied Oystercatcher *Haematopus longirostris*

Status: Endangered; breeding resident.

Reported in all months; 12 at Tilba in Jan and at Narooma in Apr; 9 at Wallaga Lake in Feb; 8 at Brou Lake in Nov; 6 at Broulee in Oct; 5 at South Durras in Jun and at South Head, Moruya in Oct; no more than 4 at other locations.

Breeding: nest with eggs at Narooma in Oct and at Brou Lake in Nov. (MA/FM)

Sooty Oystercatcher *Haematopus fuliginosus*

Status: Vulnerable; breeding resident.

Reported in all months; 12 at Mystery Bay in Feb and Apr-Jun; 8 at Broulee in Apr; 6 at Tilba in Jan, at Meringo in May and at Broulee Island in Oct; 5 at Bermagui in Aug; no more than 4 at other locations.

RECURVIROSTRIDAE Stilts and avocets

Pied Stilt *Himantopus leucocephalus*

Status: rare autumn-winter migrant and bird of passage.

Three at Comerang in Apr, 2 in Jul and Oct, 1 in Mar. (JC)

CHARADRIIDAE Lapwings, plovers, dotterels.

Pacific Golden Plover *Pluvialis fulva*

Status: uncommon bird of passage.

Seventeen at Mystery Bay in Jan-Feb, 12 in Mar, 5 in Apr, 3 in Oct and 2 in Dec; 3 at Brou Lake in Nov. (MA/FM)

Red-capped Plover *Charadrius ruficapillus*

Status: common breeding resident.

Thirty one at Mystery Bay in May; 30 at Wallaga Lake in Feb; 25 at Brou Lake in Nov; 23 at South Durras in Feb; no more than 2 at other locations.

Breeding: dependent young at South Durras in Jan. (JCof)

Double-banded Plover *Charadrius bicinctus*

Status: autumn-winter migrant.

One at Mystery Bay and at South Durras in Jun. (MA/R Clunes)

Hooded Plover *Thinornis cucullatus*

Status: Critically Endangered; uncommon breeding resident.

Six at Mystery Bay in Jan-Feb, 1-4 most other months; 4 at Wallaga Lake in Feb; 2 at Corunna Lake in May; 1 at Tilba in Apr.

Breeding: juveniles at Mystery Bay in Jan-Feb and Nov-Dec. (MA/BH)

Black-fronted Dotterel *Elseyaornis melanops*

Status: uncommon breeding resident.

Twelve at Tilba in Apr; 9 at Bingie in Mar, 3 in Aug, 2 in Jun; 4 at Comerang in Oct-Nov, 2 in Dec; 2 at Meringo in May, 1 in Jul.

Breeding: juveniles at Tilba in Apr. (MA)

Masked Lapwing *Vanellus miles*

Status: common breeding resident.

Widely reported in all months; up to 90 at Comerang in Jul; 25 at Narooma in Mar and at Brou Lake in Jul; 20 at Moruya in Apr; 16 at Mystery Bay in Apr; 14 at South Durras in Jun; 12 at Gulaga in Jun; no more than 10 at other locations.

Breeding: nesting in Sep-Oct, dependent young in Jan-Feb and Sep-Dec.

SCOLOPACIDAE Snipe, sandpipers and allies.

Whimbrel *Numenius phaeopus*

Status: summer migrant.

Single birds at Narooma in Mar, at Pedro Swamp in May and at South Head, Moruya and Tuross in Oct. (FM/JM/SH/PB/GC)

Far Eastern Curlew *Numenius madagascariensis*

Status: Critically Endangered, summer migrant, some overwinter.

Up to 26 at Tuross in Oct; 7 at South Head, Moruya in Oct; 6 at Wallaga Lake in Feb; 5 at Brou Lake in Oct; 3 at Narooma in Feb; 2 at Mystery Bay in Jan.

Black-tailed Godwit *Limosa limosa*

Status: Endangered; vagrant.

Single birds at Narooma and Tilba Lake on 31 May. (MA/BH)

Bar-tailed Godwit *Limosa lapponica*

Status: Endangered; common summer migrant, some overwinter.

Up to 180 at Brou Lake in Nov; 100 at Narooma in Dec; 54 at Dalmeny in Nov; 50 at Tuross in Oct; 25 at Wallaga Lake in Feb; 3 at Kianga in Oct; single birds at 3 other locations during the year.

Ruddy Turnstone *Arenaria interpres*

Status: Vulnerable; summer migrant and bird of passage.

Five at Brou Lake in Nov; 1 at Bogola Head in Jan. (MA/FM)

Red Knot *Calidris canutus*

Status: Vulnerable; summer migrant and bird of passage.

Five at Brou Lake in Nov; 2 at Mystery Bay in Oct. (FM/BH)

Sharp-tailed Sandpiper *Calidris acuminata*

Status: Vulnerable; summer migrant and bird of passage.

Seven at Comerang in Oct; 6 at Brou Lake in Nov. (JC/FM/MA)

Red-necked Stint *Calidris ruficollis*

Status: Summer migrant and bird of passage.

Four at Brou Lake in Nov, 1 in Jan; 2 at South Durras in Jan; 1 at Mystery Bay in Dec. (FM/JCof/MA)

Latham's Snipe *Gallinago hardwickii*

Status: Vulnerable, uncommon summer migrant.

Eight at South Head, Moruya in Jan, 1 in Oct; 4 at Comerang in Oct, 1 in Feb and Nov-Dec; 1 at Batemans Bay Water Gardens in Nov.

Grey-tailed Tattler *Tringa brevipes*

Status: uncommon summer migrant and bird of passage.

One at Narooma on 28 Oct. (S Pearson)

TURNICIDAE Button Quail

Painted Button-quail *Turnix varius*

Status: uncommon resident.

Single birds at Pedro on 2 Jul and at Mystery Bay on 21 Oct. (J Holmes/MA)

LARIDAE Gulls, terns.

Silver Gull *Larus novaehollandiae*

Status: common breeding resident.

Up to 500 at Lilli Pilli in May; 170 at South Durras in Feb; 120 at Burrewarra Point in Jun; 70 at Narooma in Mar; 53 at Broulee in Apr; 50 at Wallaga Lake in Feb; 40 at Mystery Bay in Feb and Jul; no more than 20 at other locations.

Little Tern *Sternula albifrons*

Status: Endangered; summer breeding migrant.

Five at Brou Lake in Nov, 3 in Oct. (MA/FM)

Caspian Tern *Hydroprogne caspia*

Status: resident and bird of passage.

Ten at Brou Lake in Oct; 6 at South Durras in Dec; 5 at Wallaga Lake in Feb; 4 at Mystery Bay in Jan and May; 2 at Narooma in Jun, at Brou Lake in Sep, at Broulee in Sep and Oct and at South Head, Moruya in Oct; 1 at Mossy Point in Oct.

Breeding: juvenile at Mystery Bay in Jan. (MA)

White-fronted Tern *Sterna striata*

Status: winter migrant.

Eight at Mystery Bay on 10 Mar. (MA)

Greater Crested Tern *Thalasseus bergii*

Status: common breeding resident.

Up to 1000 at Mystery Bay in Sep, 500 in Jun; 220 at Narooma in Mar; 200 at Tuross in Sep; 175 at South Durras in Dec; 27 at South Head, Moruya in Oct; 20 at Wallaga Lake in Feb; no more than 12 at other locations.

TYTONIDAE Masked owls.

Greater Sooty Owl *Tyto tenebricosa*

Status: Vulnerable; uncommon breeding resident.

One at Pedro Swamp and at South Head, Moruya in Mar; calls at Mystery Bay and Lilli Pilli in Mar, at Tilba in Jun and at Pedro Swamp in Sep-Oct. (JM/MA/M Fleming)

Masked Owl *Tyto novaehollandiae*

Status: Vulnerable; uncommon breeding resident.

Two at Pedro in Dec, 1 in Feb and Nov; 1 at Pedro Swamp in Mar. (JS/JM)

STRIGIDAE Hawk-Owls.

Powerful Owl *Ninox strenua*

Status: Vulnerable; breeding resident.

Two calling at Pedro Swamp in Jun, 1 in Mar; 1 at Pedro in Jan-Mar and Dec and at Comerang in Mar. (JS/JM/JC)

Southern Boobook *Ninox boobook*

Status: breeding resident.

Two at Mystery Bay in Oct and Dec, calls in Jan and Mar; 1 or calls at 8 other locations during the year.

PANDIONIDAE Osprey.

Osprey *Pandion haliaetus*

Status: Vulnerable; uncommon breeding resident.

Three at Narooma in Jun; 2 in Mar, May and Aug-Sep; 2 at South Durras in Apr, at Tuross in Jun and Sep, at Kianga in Oct and at Mystery Bay in Dec; 1 at Broulee in Mar, at Bermagui in Apr, at Cullendulla in Jul and at South Head, Moruya in Sep.

Breeding: nesting at Narooma in May-Jun, dependent young in Jul. (MA/T&A Ross)

ACCIPITRIDAE Eagles, kites, goshawks.

Black-shouldered Kite *Elanus axillaris*

Status: breeding resident.

Four at Mystery Bay in Aug; 2 at Bergalia in Jan and Sep-Nov, at Comerang in Jan-Feb, at Broulee in Sep-Oct and at Bodalla in Oct; single birds at 8 other locations during the year.

Letter-winged Kite *Elanus scriptus*

Status: vagrant.

One reported at Turlinjah on 20 Jun, first record for the Shire. (DS)

Square-tailed Kite *Lophoictinia isura*

Status: Vulnerable; uncommon spring-summer breeding migrant.

Two at Pedro Swamp in Aug, 1 in Jan and Sep; 1 at Maulbrooks Rd in Jan, at Mystery Bay in Jan, May-Jun and Oct, at Tilba in Jan and Aug and at Broulee in Feb,

Wedge-tailed Eagle *Aquila audax*

Status: common breeding resident.

Widely reported in all months; 3 at Coolagolite in Jan and at Moruya in Mar; pairs at 4 other locations and single birds at a further 11 locations during the year.

Little Eagle *Hieraaetus morphnoides*

Status: Vulnerable; uncommon breeding resident.

Two at Mystery Bay in Apr and at Carters Beach in Nov; 1 at Runnyford Rd in Jun and at Pedro Swamp in Dec. (MA/T&A Ross/N Hordern/JM)

Swamp Harrier *Circus approximans*

Status: breeding resident.

Two at Meringo in Sep, 1 in Jul; 1 at Mystery Bay in Jan-Feb, Jul and Nov, at Wallaga Lake in Apr, at Tilba in Jun, at Moruya and Bumbo Rd in Jul, at Pedro Swamp and Eurobodalla Rd in Aug, at Comerang in Sep-Nov, and at South Head, Moruya and Deep Creek dam in Oct.

Grey Goshawk *Accipiter novaehollandiae*

Status: breeding resident, both grey and white morph occurring.

Two at Tilba in Jun; single birds at 10 other locations during the year.

Brown Goshawk *Accipiter fasciatus*

Status: breeding resident.

Single birds at Maulbrooks Rd in Feb, at Meringo in May, at Bergalia in Jul-Aug, at Nerrigundah in Aug, at Moruya in Sep, at Mystery Bay in Oct and at Bingie Point in Dec.

Collared Sparrowhawk *Accipiter cirrocephalus*

Status: breeding resident.

Two at Comerang in Jan-Feb; single birds at Pedro Swamp in Feb and Jul, at Meringo in May and at Barlings Swamp in Oct.

Breeding: 1 dependent young at Comerang in Jan. (JC)

White-bellied Sea-Eagle *Haliaeetus leucogaster*

Status: Vulnerable; common breeding resident.

Widely reported throughout the year; 6 at Narooma in Mar; 5 at South Durras and Bingie Point in Apr and at Mystery Bay in Sep; 3 at Meringo in May, Moruya in Sep and at South Head, Moruya in Oct; no more than 2 at other locations.

Breeding: juveniles and immatures in Mar, May-Oct and Dec.

Whistling Kite *Haliastur sphenurus*

Status: breeding resident.

Widely reported in all months; 6 at Meringo in Oct; 3 at Comerang in Jan; 1-2 reported at 10 other locations during the year.

Breeding: nesting at South Durras in Feb and at Comerang in Sep, dependent young at Comerang in Jan. (JCof/JC)

CORACIIDAE Dollarbirds.

Oriental Dollarbird *Eurystomus orientalis*

Status: summer breeding migrant.

Recorded in Jan-Mar and Oct-Dec; 8 at Mystery Bay in Feb, 7 in Jan; 4 at Bergalia and Broulee in Jan; 3 at Nerrigundah in Oct and at Pedro in Nov; 1-2 at 5 other locations.

Breeding: dependent young at Broulee in Jan, juvenile at Mystery Bay in Feb. (GLM/MA)

ALCEDINIDAE Kingfishers.

Azure Kingfisher *Ceyx azureus*

Status: breeding resident.

Two at Broulee in Jun and at Bumbo Rd in Jul; 1 at Nerrigundah in Mar and at Comerang in Oct. (GLM/FM/IJ/JC)

Sacred Kingfisher *Todiramphus sanctus*

Status: summer breeding migrant; some may overwinter.

Six at Comerang in Jan, 4 in Sep-Dec; 6 at Pedro in Oct, 4 in Dec; 4 at Pedro Swamp in Oct-Nov and at Belowra in Dec; 1-2 at 11 other locations during the year.

Breeding: dependent young at Nerrigundah in Jan. (IJ)

Laughing Kookaburra *Dacelo novaeguineae*

Status: common breeding resident.

Widely reported in all months as individuals or family groups; up to 16 at Pedro Swamp in Feb and Nov-Dec; 10 at Broulee in Jan and Oct and at Mystery Bay in May; 8 at South Durras in Dec; 7 at Moruya in Jul; no more than 6 at other locations.

Breeding: dependent young in Jan-Apr and Nov-Dec.

FALCONIDAE Falcons.

Nankeen Kestrel *Falco cenchroides*

Status: common breeding resident.

Reported throughout the year; 4 at Mystery Bay in Feb; 3 at Eurobodalla Rd in Jan and Aug; 2 at Meringo and Punkalla in May, at Moruya in Jul, at Bogola Head in Sep and at Comerang in Sep-Dec; single birds at 6 other locations during the year.

Breeding: nesting at Comerang in Oct, dependent young in Oct. (JC)

Australian Hobby *Falco longipennis*

Status: breeding resident.

Two at Pedro Swamp in Jun and at Pedro in Dec; single birds at Tilba in Jan, at Tuross in Apr, at Mystery Bay in May, at Broulee in Sep, at Batemans Bay Water Gardens in Nov and at Comerang and Narooma in Dec.

Brown Falcon *Falco berigora*

Status: breeding resident.

Single birds at Comerang in Jan-Apr and Jul-Sep, at Mystery Bay in Jan, Jul-Aug and Dec, at Tuross in Apr, at Moruya in Jun, Aug and Oct-Nov and at Bergalia in Jul.

Peregrine Falcon *Falco peregrinus*

Status: uncommon breeding resident.

Two at Tilba in Aug; single birds at Comerang in Mar-Apr, Sep-Oct and Dec, at Pedro Swamp in Jun, at Mystery Bay in Jul and at Narooma in Sep.

CACATUIDAE Cockatoos, corellas.

Glossy Black-Cockatoo *Calyptorhynchus lathami*

Status: Vulnerable; breeding resident.

Recorded throughout the year, normally in pairs or family groups of 3; 6 at Pedro in Jan-Feb, 5 in Sep, 4 in Jul and Nov; 5 at Pedro Swamp in Dec, 4 in Sep-Oct; 4 at Maulbrooks Rd in Oct and at Comerang in Dec; no more than 3 at other locations.

Breeding: dependent young at Moruya in Jan and at Pedro Swamp in Dec. (L Dann/JM)

Yellow-tailed Black-Cockatoo *Zanda funereus*

Status: common breeding resident.

Widely recorded in all months; up to 50 at Mystery Bay in Feb; 39 at Pedro Swamp in Aug; 28 at Broulee in Aug; 27 at Nerrigundah in Jul; 20 at Coolagolite in Oct; fewer than 20 at other locations.

Gang-gang Cockatoo *Callocephalon fimbriatum*

Status: Endangered; breeding resident.

Twenty at Moruya in Jul; 13 at Broulee in Sep; 12 at Mystery Bay in Apr-Jun; 8 at Tilba in Feb, 6 in Mar-Apr; no more than 5 at other locations.

Breeding: juveniles at Mystery Bay in Mar-Apr and at Broulee in Nov. (MA/GH)

Galah *Eolophus roseicapilla*

Status: common breeding resident.

Widely recorded in all months in pairs and small groups; up to 60 at Comerang in Apr; 20 at Mystery Bay in Dec; 16 at Pedro in Nov; 12 at Brou Lake in Nov; no more than 10 at other locations.

Breeding: dependent young at Comerang in Dec. (JC)

Little Corella *Cacatua sanguinea*

Status: common breeding resident.

Widely recorded in all months in pairs, small groups and large flocks; up to 200 at Moruya in May, 150 in Mar; 60 at Mystery Bay in Jan; 40 at South Head, Moruya in Jan and at Coolagolite in Feb; 30 at Mossy Point in Oct; 25 at Broulee in Sep; no more than 20 at other locations.

Sulphur-crested Cockatoo *Cacatua galerita*

Status: common breeding resident.

Widely recorded in all months; up to 100 at Moruya in Jul; 80 at Comerang in Apr; 25 at Mystery Bay in Feb; 20 at South Durras in Mar and at Narooma in Aug; 13 at Maulbrooks Rd in Dec; no more than 10 at other locations.

PSITTACULIDAE Parrots, lorikeets, rosellas.

Crimson Rosella *Platycercus elegans*

Status: common breeding resident.

Widely reported in all months, usually in groups up to 6; up to 40 at Pedro in Jun, 30 in May and Sep; 20 at Nerrigundah in May; 11 at Maulbrooks Rd in Mar; 10 at Pedro Swamp most months, at Comerang in Jul-Aug and at Broulee in Sep-Oct; no more than 8 at other locations.

Breeding: juvenile at Mystery Bay in Feb. (MA)

Eastern Rosella *Platycercus eximius*

Status: breeding resident.

Recorded in all months; 10 at Comerang in Jan-Mar and Dec; 5 at Nerrigundah in Apr and at Mystery Bay in Jun; 4 at Moruya in Nov; no more than 2 at other locations

Breeding: dependent young at Comerang in Dec. (JC)

Swift Parrot *Lathamus discolor*

Status: Endangered, uncommon passage migrant in spring and autumn.

One reported at Surfside on 11 May. (DB)

Musk Lorikeet *Glossopsitta concinna*

Status: common breeding resident.

Sixty at Bimbimbie in Apr; 20 at Mystery Bay in May; 6 at Benandarah in Mar, at Pedro Swamp in May and at Moruya in Nov; 4 at Comerang in Jan, at Gulaga in Jun and at Mossy Point, Broulee and Tomakin in Oct; no more than 2 at other locations

Little Lorikeet *Glossopsitta pusilla*

Status: Vulnerable; resident, has bred.

Twenty five at Bimbimbie in Apr; 4 at Mystery Bay in Sep; 2 at Benandarah and Pedro Swamp in Mar; 1 at Comerang in Oct.

Rainbow Lorikeet *Trichoglossus moluccanus*

Status: common breeding resident.

Widely recorded in all months; up to 430 at Bimbimbie in Apr; 70 at South Durras in Dec; 60 at Broulee in Mar; 40 at Benandarah in Mar; 35 at Mystery Bay in Apr; 30 at Burrewarra Point and at Gulaga in Jun; fewer than 30 at other locations.

Breeding: dependent young at Pedro Swamp in Nov-Dec. (JM)

Australian King-Parrot *Alisterus scapularis*

Status: common breeding resident.

Singles, pairs and small groups widely recorded in all months; up to 40 at Comerang in Feb; 26 at South Durras in Jan; 22 at Maulbrooks Rd in May; 20 at Pedro in Feb; 12 at Mystery Bay in May; no more than 10 at other locations.

Breeding: dependent young at Pedro in Jan, juveniles at Pedro Swamp in Feb. (JS/JM)

PITTIDAE Pittas

Noisy Pitta *Pitta versicolor*

Status: vagrant.

Call reported at Eurobodalla Rd on 17 Aug. (JM)

MENURIDAE Lyrebirds.

Superb Lyrebird *Menura novaehollandiae*

Status: breeding resident.

Recorded in all months; 5 at Benandarah in Mar; 4 at Gulaga in May; 3 at Coolagolite in Feb and Apr and at Nerrigundah in Nov; 2 at Tilba in Dec; 1 or calls at 8 other locations during the year.

PTILONORHYNCHIDAE Catbirds, bowerbirds.

Green Catbird *Ailuroedus crassirostris*

Status: breeding resident.

One at Ringlands, Narooma in Dec. (F Ellison)

Satin Bowerbird *Ptilonorhynchus violaceus*

Status: common breeding resident.

Widely reported in all months, usually one to six; up to 30 at Comerang in Jul-Aug; 20 at Nerrigundah in Aug-Sep; 18 at Bumbo Rd in Jul; 10 at Mystery Bay in Feb and Nov; no more than 8 at other locations.

Breeding: dependent young at Comerang and Mystery Bay in Jan. (JC/MA)

CLIMACTERIDAE Treecreepers.

White-throated Treecreeper *Cormobates leucophaea*

Status: common breeding resident.

Widely reported in all months; 6 at Deua National Park in Jul; 5 at Benandarah in Mar; 4 at Pedro Swamp most months and at Eurobodalla Regional Botanic Gardens in Oct; 3 at Coolagolite in Jan, at Broulee in Feb, at Narooma in Mar and at Gulaga in Jun; no more than 2 at other locations.

Red-browed Treecreeper *Climacteris erythrops*

Status: uncommon breeding resident.

Two at Pedro Swamp on 12 Mar. (JM)

MALURIDAE Fairy-wrens, emu-wrens.

Variegated Fairy-wren *Malurus lamberti*

Status: breeding resident.

Reported in all months; up to 20 at Pedro Swamp in Jun; 10 at Broulee in Feb, at Lilli Pilli and Mystery Bay in May; at Burrewarra Point in Jun; at Meringo in Oct and at Brou Lake in Nov; 9 at Maulbrooks Rd in Feb; no more than 6 at other locations.

Breeding: dependent young at Comerang in Oct and at Pedro Swamp in Dec. (FM/JC/JM)

Superb Fairy-wren *Malurus cyaneus*

Status: common breeding resident.

Widely reported in all months in family groups of up to 10; up to 40 at Comerang in Sep and Dec; 35 at Broulee in Jan; 24 at South Durras in Jun; 20 at Bumbo Rd in Jul and at Pedro Swamp in Jun-Aug and Oct-Dec; 15 at Meringo in May, at Mystery Bay in Jun and at Eurobodalla Regional Botanic Gardens in Oct; fewer than 15 at other locations.

Breeding: dependent young in Feb and Oct-Dec.

Southern Emu-wren *Stipiturus malachurus*

Status: uncommon breeding resident.

Eleven at Broulee in Mar, 3-7 in most other months; 6 at North Head, Moruya in Oct; 3 at Surfside in Mar; 1 at Pedro Swamp in Oct.

MELIPHAGIDAE Honeyeaters, chats.

Crescent Honeyeater *Phylidonyris pyrrhopterus*

Status: uncommon breeding resident.

Five at Deua National Park in Jul; 2 at Coolagolite in May-Jul and at Nerrigundah in May and Jul; 1 at Mystery Bay in Jan, at Broulee in Feb, at Benandarah in Mar and at Tilba in Apr.

White-cheeked Honeyeater *Phylidonyris niger*

Status: breeding resident in small, localised colonies.

Two at Deua National Park in Jul-Aug and at Moruya in Oct. (JM/MA)

New Holland Honeyeater *Phylidonyris novaehollandiae*

Status: common breeding resident.

Reported in all months; 30 at Bengello Beach in Aug; 25 at Wallaga Lake in Feb; 20 at Broulee in Feb and at Bimbimbie in Apr; 10 at Mystery Bay in Jun and Oct; no more than 5 at other locations.

White-naped Honeyeater *Melithreptus lunatus*

Status: breeding resident and bird of passage.

Reported in all months: 40 at Pedro Swamp in Jun; 20 at Bimbimbie in Apr; 16 at Deua National Park in Jul; 12 at Broulee in Feb and at Lilli Pilli in May; 8 at Meringo in Jul; no more than 6 at other locations.

Breeding: dependent young in Oct, juveniles in Dec. (SH/PB/MA)

Brown-headed Honeyeater *Melithreptus brevirostris*

Status: uncommon summer breeding migrant.

Reported in all months; 15 at Pedro Swamp in Jun, 10 in Jul; 6 at Mystery Bay in Jan, at Kianga in May and at Comerang in Oct; 4 at Belowra in Dec.

White-eared Honeyeater *Nesoptilotis leucotis*

Status: autumn-winter migrant.

Reported Mar-Dec; 8 at Pedro Swamp in Jun, 5 in May; 3 at Deua National Park in Jul; 2 at Bimbimbie and Pedro Point in Apr; single birds at 6 other locations during the year.

Noisy Friarbird *Philemon corniculatus*

Status: summer breeding migrant and bird of passage, often overwinters.

Widely recorded in Jan-Apr and Sep-Dec; 20 at Pedro Swamp in Mar, Sep and Nov-Dec and at Moruya in Oct; 12 at Bergalia in Feb and at South Durras in Dec; 10 at Pedro in Feb and Dec; fewer than 10 at other locations.

Breeding: dependent young in Jan-Feb and Nov-Dec.

Scarlet Honeyeater *Myzomela sanguinolenta*

Status: summer breeding migrant and bird of passage.

Recorded Jan-Apr and Aug-Dec; 13 at Barlings Swamp in Oct; 9 at Bimbimbie in Apr; 4 at South Durras in Oct; 3 at Maulbrooks Rd in Nov; 1 or 2 at 8 other locations during the year.

Eastern Spinebill *Acanthorhynchus tenuirostris*

Status: common breeding resident.

Widely reported in all months; 7 at Bengello Beach in Aug; 6 at Mystery Bay in Mar, at Bergalia in Apr and Nov and at Pedro Point in Apr, 5 at Gulaga in Jun and at South Durras in Dec; no more than 4 at other locations.

Breeding: juveniles at Mystery Bay in Jan-Feb. (MA)

Lewin's Honeyeater *Meliphaga lewinii*

Status: common breeding resident.

Widely reported in all months; 15 at Gulaga in Jun; 13 at South Durras in Dec; 7 at Narooma in Mar; 6 at Broulee in Mar and at Mystery Bay in Oct-Nov; 5 at Coolagolite in Feb; no more than 4 at other locations.

Breeding: nesting at Mystery Bay in Jan, Apr and Oct, dependent young in Oct-Nov. (MA)

Little Wattlebird *Anthochaera chrysoptera*

Status: common breeding resident.

Widely reported in all months; 30 at Wallaga Lake in Feb; 28 at South Durras in Feb; 25 at Bengello Beach in Aug; 20 at Pedro Point in Apr and at Burrewarra Point in Jun; 18 at Broulee in Jan; 12 at Mystery Bay in Mar and Jun; no more than 10 at other locations.

Breeding: dependent young at Maulbrooks Rd in Nov, juvenile at Broulee in Nov. (SMG/FM)

Red Wattlebird *Anthochaera carunculata*

Status: common breeding resident and bird of passage.

Widely reported in all months; 50 at Moruya in Apr; 30 at Pedro Swamp in May-Jun, Aug and Nov-Dec and at Burrewarra Point in Jun; 28 at Broulee in Jan; 20 at Comerang in Apr, at Gulaga in Jun and at Bergalia in Oct; no more than 15 at other locations.

Breeding: dependent young in Oct-Dec.

White-plumed Honeyeater *Ptilotula penicillata*

Status: vagrant.

One reported at Broulee on 4 Jan. (GLM)

Fuscous Honeyeater *Ptilotula fusca*

Status: uncommon winter migrant.

Up to 10 at Pedro Swamp in May, 2 in Jun-Jul. (JM)

Yellow-faced Honeyeater *Caligavis chrysops*

Status: common breeding resident and summer migrant.

Widely reported throughout the year; 110 at Bimbimbie in Apr; 100 at Comerang in March and at Pedro Swamp in Apr; 30 at Meringo in Sep; 20 at South Durras in Dec; 18 at Eurobodalla Regional Botanic Gardens in Oct; no more than 12 at other locations.

Breeding: nesting in Oct, dependent young at Comerang in Oct-Dec. (FM/JC/SH/PB)

Yellow-tufted Honeyeater *Lichenostomus melanops*

Status: uncommon breeding resident.

Four at Deua National Park in Jul. (JM)

Bell Miner *Manorina melanophrys*

Status: common breeding resident.

Colonies reported at Brou Lake, Bumbo Rd, Comerang, Coolagolite, Eurobodalla Rd, Kianga, Narooma, Tilba and Wallaga Lake.

PARDALOTIDAE Pardalotes.

Spotted Pardalote *Pardalotus punctatus*

Status: common breeding resident.

Reported in all months; 30 at Bimbimbie in Apr; 20 at Pedro Swamp in Apr, 10 at Meringo in Sep; 5 at Broulee in Feb and at Eurobodalla Regional Botanic Gardens in Oct; no more than 4 at other locations.

Breeding: nesting in Sep and Nov. (FM/IJ/MA)

Striated Pardalote *Pardalotus striatus*

Status: breeding resident.

Reported each month; 10 at Bimbimbie in Apr; 10 at Pedro Swamp in Apr, 6 in Mar and Jul; 2 at Comerang most months; 1 at Meringo in Jul and at Brou Lake and Box Cutting in Nov.

Breeding: nesting at Comerang in Jul-Aug. (JC)

ACANTHIZIDAE Thornbills, gerygones.

Brown Gerygone *Gerygone mouki*

Status: common breeding resident.

Reported each month; 15 at Bumbo Rd in Jul; 12 at Gulaga in Jun and at Meringo in Sep; 10 at Benandarah in Mar and at Pedro Swamp in Jun; 8 at Mystery Bay in Jan; no more than 5 at other locations.

Breeding: nesting at Mystery Bay in Jan and Sep-Oct. (MA)

White-throated Gerygone *Gerygone olivacea*

Status: summer breeding migrant.

Two at Belowra in Sep, calls in Dec; 1 at Comerang and at Mystery Bay in Mar; calls at Moruya in Sep and Maulbrooks Rd in Oct.

Pilotbird *Pycnoptilus floccosus*

Status: Vulnerable; uncommon breeding resident.

One at Nerrigundah Rd on 28 Feb; calls at Gulaga in May and Jun and at Tilba in Jul. (JM/MA)

Yellow-throated Scrubwren *Sericornis citreogularis*

Status: uncommon breeding resident.

Two at Deua National Park in Aug, 1 in Jul; 1 at Narooma in Dec. (JM/F Ellison)

White-browed Scrubwren *Sericornis frontalis*

Status: common breeding resident.

Widely reported in all months; 7 at South Durras in Dec; 6 at Deua National Park in Jul and at Long Nose Point in Oct; 5 at Nerrigundah in Feb, May and Oct, at Wallaga Lake in Feb and at Lilli Pilli in May; no more than 4 at other locations.

Large-billed Scrubwren *Sericornis magnirostra*

Status: uncommon breeding resident.

Two at Narooma in Mar and at Deua National Park in Jul; 1 at Eurobodalla Regional Botanic Gardens in Dec; calls at Gulaga in Jun. (MA/JM/FM)

Yellow-rumped Thornbill *Acanthiza chrysorrhoa*

Status: breeding resident.

Reported in all months; 20 at Belowra in May and Sep; 15 at Comerang in Mar-Apr and Sep-Dec; 10 at Bumbo Rd in Jul; 3 at Mystery Bay in Jan; no more than 2 at other locations.

Breeding: dependent young at Comerang in Oct. (JC)

Yellow Thornbill *Acanthiza nana*

Status: breeding resident.

Reported in all months; 30 at Bumbo Rd in Jul; 10 at Comerang most months and at Moruya in Apr; 6 at Punkalla in Dec; 5 at Pedro Swamp in Jun; no more than 4 at other locations.

Striated Thornbill *Acanthiza lineata*

Status: breeding resident.

Widely reported in all months; 20 at Benandarah in Mar, at Pedro Swamp in Apr and Jun-Dec; at Nerrigundah in Aug and at Comerang in Oct; 15 at Bumbo Rd in Aug; 12 at Mystery Bay in Jan-Mar and May and at Deua National Park in Jul; fewer than 10 at other locations.

Breeding: dependent young at Pedro Swamp in Dec. (JM)

Brown Thornbill *Acanthiza pusilla*

Status: common breeding resident.

Widely reported in all months; 20 at Pedro Swamp in Apr and Jun and at Bengello Beach in Aug; 16 at Burrewarra Point in Jun; 15 at Gulaga in Jun and at Bumbo Rd in Jul; 12 at Broulee in Feb, at Mystery Bay in Feb-Mar and at Nerrigundah in Aug; no more than 10 at other locations.

Breeding: nesting in Oct, dependent young in Oct and Dec.

Buff-rumped Thornbill *Acanthiza reguloides*

Status: uncommon breeding resident.

Eight at Nerrigundah in Aug; 2 at Pedro in Jun and at Moruya in Dec; 1 at Coolagolite in Feb. (FM/JS/JM/DO)

NEOSITTIDAE Sittellas.

Varied Sittella *Daphoenositta chrysoptera*

Status: Vulnerable; breeding resident.

Sixteen at Pedro Swamp in Dec; 9 at Pedro in Jul; 8 at Broulee in Feb; 4 at Deua National Park in Aug and at Comerang in Oct; 3 at Bumbo Rd in Jul and at Nerrigundah in Oct; 2 at Narooma in Mar and at Meringo in Aug.

ORIOLIDAE Orioles, figbirds.

Australasian Figbird *Sphecotheres vieilloti*

Status: summer breeding migrant.

Recorded Jan-Mar and Sep-Dec; 10 at Moruya in Jan-Feb and Dec and at Batemans Bay in Feb; 6 at Narooma in Mar; 1 at Pedro Swamp in Mar and Oct and at Bermagui in Oct.

Olive-backed Oriole *Oriolus sagittatus*

Status: summer breeding migrant; some overwinter.

Widely recorded in all months except Jul; 10 at Coolagolite in May and at Eurobodalla Regional Botanic Gardens in Oct; 8 at Pedro in Nov; 6 at Pedro Swamp in Feb and Sep; no more than 2 at other locations.

Breeding: nesting in Oct, dependent young in Nov, juvenile in Jan.

FALCUNCULIDAE Shrike-tits.

Eastern Shrike-tit *Falcunculus frontatus*

Status: breeding resident.

Two at Maulbrooks Rd in Feb; 1 at Nerrigundah in May. (SMG/IJ)

PACHYCEPHALIDAE Whistlers, shrike-thrushes.

Olive Whistler *Pachycephala olivacea*

Status: Vulnerable; breeding resident in rainforest and wet gullies above 500m.

One at Mystery Bay on 19 Apr and 13 May. (BH/MA)

Rufous Whistler *Pachycephala rufiventris*

Status: summer breeding migrant.

Recorded Jan-Apr and Aug-Dec; 10 at Eurobodalla Regional Botanic Gardens in Oct; 6 at Pedro Swamp in Oct and Dec, at Comerang in Oct-Nov, at Brou Lake in Nov and at Belowra in Dec; 5 at Nerrigundah in Sep-Oct; no more than 4 at other locations.

Golden Whistler *Pachycephala pectoralis*

Status: common breeding resident.

Widely reported in all months; 10 at Meringo and at Pedro Swamp in Sep; 6 at Benandarah in Mar and at Eurobodalla Regional Botanic Gardens in Oct; 4 at Mystery Bay in Jan, Mar, May, Oct and Dec, at Bumbo Rd and Nerrigundah in Aug and at Comerang in Sep and Nov; no more than 3 at other locations.

Breeding: juveniles in Feb-Mar. (FM/JM)

Grey Shrike-thrush *Colluricincla harmonica*

Status: common breeding resident.

Widely reported in all months; 6 at Mystery Bay in Jul and at Pedro Swamp in Sep; 5 at Bumbo Rd in Jul; 4 at Meringo in Sep; 3 at Nerrigundah in Jan and at Eurobodalla Regional Botanic Gardens in Nov; 1-2 or calls at other locations.

PSOPHODIDAE Whipbirds.

Eastern Whipbird *Psophodes olivaceus*

Status: common breeding resident.

Widely reported in all months; 16 at Broulee in Oct; 12 at South Durras in Dec; 8 at Bumbo Rd in Jul; 6 at Mystery Bay in Jan, Jul and Sep; 5 at Benandarah in Mar and at Eurobodalla Regional Botanic Gardens in Oct; no more than 4 at other locations.

Breeding: dependent young in Oct, juveniles in Jan-Feb and Nov-Dec.

CAMPEPHAGIDAE Cuckoo-shrikes, trillers, cicadabird.

Black-faced Cuckoo-shrike *Coracina novaehollandiae*

Status: common breeding resident.

Widely reported in all months; 8 at Pedro in Dec; 7 at Pedro Swamp in Feb and at Nerrigundah in Mar; 5 at Comerang in Mar; 4 at Bergalia in Apr and Oct-Nov and at Moruya in Jul; no more than 3 at other locations.

Breeding: nesting in Oct, dependent young in Jan-Mar.

White-bellied Cuckoo-shrike *Coracina papuensis*

Status: uncommon breeding resident and bird of passage.

Eight at Pedro Swamp in Feb, 1-3 most other months; 3 at Mystery Bay in Dec; 1 at Eurobodalla Rd in Jan, at Bumbo Rd in Aug, at Moruya in Sep and at Comerang in Oct-Nov.

Common Cicadabird *Coracina tenuirostris*

Status: summer breeding migrant.

Recorded Jan-Mar and Sep-Dec; 6 at Pedro Swamp in Jan, 5 in Oct and Dec; 1 at Coolagolite in Jan, at Meringo in Sep and at Eurobodalla Regional Botanic Gardens in Oct; calls at Maulbrooks Rd in Jan-Feb and Oct-Dec and at Brou Lake in Nov.

White-winged Triller *Lalage tricolor*

Status: summer migrant.

Eight at Belowra in Dec, 4 in Sep; 2 at Belimbla in Dec; calls at Comerang in Oct. (JC/FM)

ARTAMIDAE Butcherbird, magpie, currawongs, woodswallows.

Pied Currawong *Strepera graculina*

Status: common breeding resident.

Widely reported all year; up to 50 at Pedro Swamp in Aug; 39 at Coolagolite in May; 30 at Comerang in Aug; 23 at Nerrigundah in Feb; 20 at Mystery Bay in Sep; 15 at South Durras in Dec; fewer than 15 at other locations.

Breeding: dependent young in Dec, juveniles in Jan and Jun. (JCof/MA)

Grey Currawong *Strepera versicolor*

Status: uncommon resident and winter migrant to the coast.

Single birds at Batemans Bay Water Gardens in Jun, at Nerrigundah Rd in Aug and at Nerrigundah in Sep. (DB/FM/IJ)

Australian Magpie *Gymnorhina tibicen*

Status: common breeding resident.

Widely reported throughout the year; up to 40 at Comerang in Jan-Feb, Jul-Aug and Oct; 20 at Gulaga in Jun; 16 at Broulee in Feb and Sep and at Belowra in Sep; 15 at Mystery Bay in May and at Nerrigundah in Aug; no more than 12 at other locations.

Breeding: nesting in Jul-Sep, dependent young in Sep-Dec.

Grey Butcherbird *Cracticus torquatus*

Status: common breeding resident.

Widely reported throughout the year; 6 at Pedro in Jan, Mar and Nov-Dec; 5 at Narooma in Mar and at Bumbo Rd in Jul; 4 at Pedro Swamp in Jan-Jun and Dec, at Broulee in Jan, at Mystery Bay in Feb and Nov-Dec and at Comerang in Oct; no more than 3 at other locations.

Breeding: dependent young in Jan and Nov-Dec. (JCof/JM/JS)

Dusky Woodswallow *Artamus cyanopterus*

Status: Vulnerable; summer breeding migrant.

Twenty at Nerrigundah in Apr, 15 in Oct-Nov; 10 at South Durras in Mar; 5 at Coolagolite in Feb and at Meringo in May; 4 at Belowra in Sep and at Comerang in Nov; 3 at Brou Lake in Jan; 2 at Bimbimbie in Apr.

Breeding: dependent young at Nerrigundah in Jan. (IJ)

White-breasted Woodswallow *Artamus leucorhyn*

Status: vagrant.

Twenty six at Meringo in Sep, 8 in May, 2 in Aug; 16 at Mystery Bay in Mar, 6 in Apr; 6 at Pedro Swamp in May, 4 in Sep-Oct. (NM/MA/JM)

RHIPIDURIDAE Fantails.

Willie Wagtail *Rhipidura leucophrys*

Status: common breeding resident.

Widely reported in all months; 12 at Mystery Bay in May and at Comerang in Dec; 8 at Nerrigundah in Feb and at Belowra in Sep; 7 at South Durras in Jan; 6 at Moruya in Apr and at Gulaga in Jun; no more than 5 at other locations.

Breeding: nesting in Sep-Oct and Dec, dependent young in Jan and Nov-Dec. (JC/IJ)

Rufous Fantail *Rhipidura rufifrons*

Status: summer breeding migrant.

Recorded Jan-Apr and Oct-Dec; 6 at Benandarah in Mar; 3 at Pedro Swamp in Mar; 2 at Long Nose Point in Oct; single birds at 5 other locations during the year.

Breeding: juvenile at Pedro Swamp in Mar. (JM)

Grey Fantail *Rhipidura albiscapa*

Status: common breeding resident.

Widely reported throughout the year; 30 at Comerang in Mar, 10-20 most other months; 20 at Gulaga in Jun; 15 at Pedro Swamp in Jun and at Mystery Bay in Aug; 10 at Broulee in Feb; fewer than 10 at other locations.

Breeding: nesting in Jan and Nov, dependent young in Feb and Dec, juveniles in Jan and Dec.

DICRURIDAE Drongos

Spangled Drongo *Dicrurus bracteatus*

Status: uncommon autumn to winter migrant.

Single birds at Bergalia in Mar, at Congo and South Head, Moruya in Apr and at Batemans Bay Water Gardens and Surfside in Jun.

MONARCHIDAE Monarchs, flycatchers.

Leaden Flycatcher *Myiagra rubecula*

Status: summer breeding migrant.

Recorded Jan-Feb and Sep-Dec; up to 6 at Pedro Swamp in Dec, 4 in Jan and Oct; 2 at Nerrigundah in Jan, at Meringo in Sep, at Bodalla Forest Park in Nov and at Eurobodalla Regional Botanic Gardens in Dec; 1 at Brou Lake in Jan and at Coolagolite in Feb.

Restless Flycatcher *Myiagra inquieta*

Status: breeding resident and winter migrant to coast.

Three at Coolagolite in Feb; 2 at Mystery Bay in May and Jul and at Belowra in Sep; 1 at Comerang in Apr and Jul, at Gulaga in Jun and at Eurobodalla Rd in Aug.

Magpie-lark *Grallina cyanoleuca*

Status: common breeding resident.

Widely reported throughout the year; up to 14 at Comerang in Jul; 6 at Narooma in Sep-Oct; 5 at Belowra in May and Sep and at Moruya in Jul; no more than 4 at other locations.

Breeding: nesting at Comerang in Jan and Nov, dependent young in Feb and Dec. (JC)

Black-faced Monarch *Monarcha melanopsis*

Status: summer breeding migrant.

Recorded Jan-Mar and Sep-Dec; 8 at Box Cutting in Nov; 4 at Mystery Bay in Jan-Feb; 3 at Nerrigundah in Feb; 2 at Broulee in Oct; 1 or calls at 9 other locations during the year.

Breeding: juvenile at Mystery Bay in Dec. (MA).

CORVIDAE Ravens.

Little Raven *Corvus mellori*

Status: uncommon resident and winter migrant to coast.

Up to 40 at Bergalia in Mar; 30 at Comerang in Jul; 4 at Mystery Bay in Jan, Mar and Jul.

(DHK/JC/MA)

Australian Raven *Corvus coronoides*

Status: common breeding resident.

Widely reported throughout the year; 24 at Pedro in Feb-Mar; 12 at Mystery Bay in Jan; 10 at Comerang in Mar-Apr and Jul-Sep and at South Durras in Dec; 8 at Narooma in Mar and at Bergalia in Oct; fewer than 8 at other locations.

Breeding: nesting at Nerrigundah in Oct, juvenile at Pedro Swamp in Dec. (IJ/JM)

CORCORACIDAE White-winged Chough.

White-winged Chough *Corcorax melanorhamphos*

Status: breeding resident.

Up to 17 at Pedro Swamp in Aug; 14 at Mystery Bay in Apr; 12 at Meringo in May; 9 at Maulbrooks Rd in Jan and Jul and at Bergalia in Apr and Dec; 4 at Tilba in Dec; 3 at Punkalla in Jan.

PETROICIDAE Robins.

Rose Robin *Petroica rosea*

Status: uncommon local breeding resident and winter migrant to coast.

Two at Pedro Swamp in Apr-Jun, at Nerrigundah in Jun, at Bumbo Rd in Jul and at Comerang in Aug; 1 at Surfside in Mar, at Mystery Bay in Apr-May and Jul-Aug, at Meringo in May, at South Durras in Jun, and at Brou Lake in Aug.

Flame Robin *Petroica phoenicea*

Status: Vulnerable; rare breeding resident.

Four at Belowra in May; 1 at Tuross Falls in Apr and at Nerrigundah in Jul. (JC/IJ)

Scarlet Robin *Petroica boodang*

Status: Vulnerable; uncommon breeding resident and winter migrant to coast.

Four at Nerrigundah in Aug, 3 in Feb; 3 at Mystery Bay in Apr-May; 2 at Belowra in May; 1 at Bergalia in Apr-May and Aug, at Pedro in May-Jun, at Meringo in Jul and at Comerang in Sep. Breeding: juvenile at Mystery Bay in May. (MA)

Jacky Winter *Microeca fascians*

Status: breeding resident.

Recorded in all months; 20 at Moruya in Jul; 10 at Bumbo Rd in Jul; 8 at Belowra and at Meringo in May; 6 at Bergalia in Apr-May and at Punkalla in May; 5 at Nerrigundah in Mar; no more than 4 at other locations.

Breeding: dependent young in Jan and Dec. (GLM/JC)

Eastern Yellow Robin *Eopsaltria australis*

Status: common breeding resident.

Widely reported in all months; 16 at Broulee in Jan; 10 at South Durras in Jun; 9 at Eurobodalla Regional Botanic Gardens in Oct; 6 at Mystery Bay in Nov; 5 at Nerrigundah in Jan and Mar-Apr, at Bengello Beach in Aug and at Meringo in Sep; no more than 4 at other locations.

Breeding: nesting in Oct, dependent young in Jan and Dec, juveniles in Mar and May.

CISTICOLIDAE Cisticolas.

Golden-headed Cisticola *Cisticola exilis*

Status: uncommon breeding resident.

Recorded at Comerang Jan-Apr, and Oct-Dec; 10 in Jan-Apr and Nov-Dec, 8 in Oct. (JC)

ACROCEPHALIDAE Reed-Warblers.

Australian Reed-Warbler *Acrocephalus australis*

Status: summer breeding migrant.

Recorded Jan-Feb and Sep-Dec; 6 at Batemans Bay Water Gardens in Nov; 4 at Comerang in Jan, 3 in Dec, 2 in other months; 2 at Mystery Bay in Jan and at Bumbo Rd in Dec; calls at Pedro Swamp in Dec.

LOCUSTELLIDAE Grassbirds, songlarks.

Brown Songlark *Cincloramphus cruralis*

Status: vagrant.

One at Eurobodalla Rd on 27 Jan. (MA)

Rufous Songlark *Cincloramphus mathewsi*

Status: uncertain.

Two at Comerang from mid Oct to mid Nov. (JC)

Little Grassbird *Poodytes gramineus*

Status: uncommon resident, probably breeding.

Two at Comerang in Oct-Nov, calls in Dec. (JC)

HIRUNDINIDAE Swallows, martins.

Fairy Martin *Petrochelidon ariel*

Status: spring/summer-breeding migrant.

One at Batemans Bay Water Gardens on 25 May. (DB)

Tree Martin *Petrochelidon nigricans*

Status: resident and summer breeding migrant.

Twenty at Moruya in Jan, at Comerang in Mar and at Belowra in Sep; 12 at Mystery Bay in Aug and at Nerrigundah in Dec; 6 at Meringo in Jul and at Bogola Head in Sep; no more than 5 at other locations.

Breeding: nesting in Sep-Oct, dependent young in Oct. (JC/IJ)

Welcome Swallow *Hirundo neoxena*

Status: common breeding resident and summer breeding migrant.

Widely reported throughout the year; 80 at Comerang in Mar, 60 in Apr; 68 at Moruya in Apr; 30 at Belowra in Sep; 20 at South Durras in Jan and Mar, at Mystery Bay in May, at Burrewarra Point in Jun, at Bumby Rd in Jul-Aug and at Mossy Point in Oct; fewer than 20 at other locations.

Breeding: nesting in Aug-Nov, dependent young in Oct. (JC/IJ)

PYCNONOTIDAE Bulbuls

Red-whiskered Bulbul *Pycnonotus jocosus*

Status: presumed aviary escapes.

One at Carters Beach on 6 Oct. (T&A Ross)

ZOSTEROPIDAE Silvereyes.

Silvereye *Zosterops lateralis*

Status: common summer breeding migrant and bird of passage.

Widely reported in all months; 600 at Bimbimbie in Apr; 200 at Pedro Swamp in Apr, 100 in Mar and May; 40 at Brou Lake in Apr; 25 at South Durras in Dec; 20 at Wallaga Lake in Feb, at Bergalia in Apr, at Punkalla in May, at Gulaga in Jun and at Comerang in Aug; fewer than 20 elsewhere.

Breeding: dependent young at Comerang in Dec. (JC)

STURNIDAE Starlings.

Common Starling *Sturnus vulgaris*

Status: common breeding resident.

Up to 80 at Comerang in Sep and Dec, 60 in Jan and Mar; 30 at Mystery Bay in Jul; 20 at Eurobodalla Rd in Jan and at Moruya in Jul; 4 at Belowra in Dec; 2 at Bergalia in Apr.

Breeding: dependent young at Comerang in Dec. (JC)

Common Myna *Acridotheres tristis*

Status: breeding resident.

Eight at Narooma in Jul-Aug and at Eurobodalla Rd in Aug; 5 at Moruya in Sep; 4 at Comerang in Jan-Apr; 1 at Batemans Bay Water Gardens in Nov.

TURDIDAE Thrushes.

Bassian Thrush *Zoothera lunulata*

Status: uncommon breeding resident.

Single birds at Benandarah in Mar, at Gulaga in May and at Nerrigundah and Eurobodalla Regional Botanic Garden in Oct.

Common Blackbird *Turdus merula*

Status: breeding resident.

Two at Batemans Bay Water Gardens in Nov and at Moruya in Dec; 1 at Tilba in Jan and May-Jun, at Mystery Bay in May and at Narooma in Aug.

DICAEDAE Mistletoebird.

Mistletoebird *Dicaeum hirundinaceum*

Status: breeding resident and bird of passage.

Six at Deua National Park in Jul; 4 at Bumbo Rd in Jul and at Moruya in Dec; 3 at Pedro Swamp in Jan; single birds at 6 other locations during the year.

ESTRILDIDAE Weaver-finches

Red-browed Finch *Neochmia temporalis*

Status: common breeding resident.

Widely reported throughout the year; 100 at Belowra in Sep; 50 at Maulbrooks Rd in May and at Bumbo Rd in Jul; 40 at Pedro Swamp in Jul; 30 at Brou Lake in Apr, at Bergalia in Jul and at Eurobodalla Rd in Aug; 25 at Meringo and Mystery Bay in May; fewer than 25 elsewhere.

Breeding: nesting at Nerrigundah in Jan and Oct-Dec. (IJ)

PASSERIDAE Sparrows.

House Sparrow *Passer domesticus*

Status: breeding resident.

Twenty at Narooma in Aug, 10 in Jul; 8 at Tilba in Jan-Feb and Apr. (MA)

MOTACILLIDAE Pipits.

Australasian Pipit *Anthus novaeseelandiae*

Status: breeding resident.

Eight at Tilba in Jun; 4 at Comerang in Sep; 3 at Belowra in May; 1-2 at Bingie Point and Mystery Bay most months; 1 at Brou Lake in Nov.

FRINGILLIDAE Old world finches

European Goldfinch *Carduelis carduelis*

Status: uncommon breeding resident.

Four at Belowra in Sep, 3 in May. (JC)

MAMMALS

TACHYGLOSSIDAE

Short-beaked Echidna *Tachyglossus aculeatus*

Widespread and recorded throughout the year: 3 at Pedro in Nov, 2 in Oct, singles in May and Sep; 2 at Pedro Swamp in Oct-Nov, singles in Jan-Sep and Dec; singles at South Durras in Dec, at Burrewarra Point in Jun, at Maulbrooks Rd in Oct-Nov, at Moruya in Oct, at Pedro Point in Apr, at Bergalia in Sep, at Coolagolite in Feb and Sep-Oct; recorded at Mystery Bay Jan-Apr, Jul-Nov.

DASYURIDAE

Brown Antechinus *Antechinus stuartii*

One at Broulee in Mar. (GMcV/LM)

White-footed Dunnart *Smithopsis leucopus*

One at Nerrigundah in Apr. (IJ)

PERAMELIDAE

Long-nosed Bandicoot *Perameles nasuta*

Three at Pedro in Oct-Dec including 2 juveniles, 1 in Sep; 1 at Coolagolite in Oct; signs at Pedro Swamp in May-Aug, Oct-Nov, at Nerrigundah in Aug and at Mystery Bay in Jan, Mar-Apr, Aug-Oct.

VOMBATIDAE

Common Wombat *Vombatus ursinus*

Activity reported throughout the year: 8 at Coolagolite in Sep, 2 in Oct, 1 or signs and active burrows in other months; 2 at Nerrigundah in Dec, 1 in May-Jun, Sep-Oct; 1 at Broulee in Apr-May; 1 at Comerang in Feb-Mar and signs in Jan, Apr, Jul-Sep, Nov-Dec; evidence at Tilba in Jun, Bumbo Rd in Jul, at Meringo in Sep and at Brou Lake in Nov.

PETAURIDAE

Yellow-bellied Glider *Petaurus australis*

One at Mossy Point in Oct; calls at Pedro Swamp in May. (SH/PB/JM)

Sugar Glider *Petaurus breviceps*

Four at Pedro Swamp in Mar, calls in Feb, Apr-Jun and Aug-Nov; calls at Coolagolite in Feb and Sep and at Tilba in Jun. (JM/DO/MA)

PSEUDOCHEIRIDAE

Common Ringtail Possum *Pseudocheirus peregrinus*

Two at Broulee in May; 1 at Pedro Swamp in Mar. (GMcV/LM/JM)

PHALANGERIDAE

Common Brushtail Possum *Trichosurus vulpecula*

Widespread and regularly recorded throughout the year: 4 at Pedro in Jan, 3 in May and Dec, 2 in Feb, Sep-Nov; 2 at Comerang in Jan-Apr, Jul-Dec; 2 at Mossy Point in Oct; 2 at Nerrigundah in Aug and Nov, 1 in Apr-May and Sep; 1 at Pedro Swamp in Feb-Mar, signs in May; recorded at Mystery Bay in Jan-Mar; a golden form roadkill found in Bodalla in Apr.

MACROPODIDAE

Eastern Grey Kangaroo *Macropus giganteus*

Widespread and regularly recorded throughout the year: 100 recorded at Bodalla in Jul; up to 83 in South Durras in Jan-Feb and Dec; up to 60 at Coolagolite throughout the year; up to 30 in Mystery Bay throughout the year; up to 20 at Pedro Swamp throughout the year; fewer elsewhere.

Red-necked Wallaby *Macropus rufogriseus*

Regularly recorded throughout the year: up to 7 at Pedro throughout the year; up to 7 at Nerrigundah in Feb-Dec; up to 6 at Coolagolite throughout the year; 2 at South Durras in Jan, 1 in Feb and Dec; 2 at Maulbrooks Rd in Dec, 1 in May; 2 at Punkalla in Mar; 1 at Pedro Swamp in Jan-May and at Brou Lake in Nov.

Swamp Wallaby *Wallabia bicolor*

Widespread and regularly recorded throughout the year: up to 15 at Mystery Bay throughout the year; up to 9 at Pedro throughout the year; up to 8 at Pedro Swamp throughout the year; 5 at South Durras in Dec, 1 in Apr; up to 4 at Coolagolite throughout the year; up to 3 at Nerrigundah throughout the year; 2 at Comerang throughout the year; 2 at Brou Lake in Nov; singles elsewhere.

PTEROPODIDAE

Grey-headed Flying Fox *Pteropus poliocephalus*

Hundreds flying south-east at Pedro in Jan-Feb; more than 20 at Comerang in Dec; 5 at Mossy Point in Oct; 2 at Pedro Swamp in Mar; calls at Coolagolite in May. Camps located at Riverside Park in Moruya, Ringlands in Narooma and at Wallaga Lake. (JS/JC/JM/DO/MA/T&A Ross)

MURIDAE

House Mouse *Mus musculus*

One at Nerrigundah in Jun. (IJ)

Bush Rat *Rattus fuscipes*

Up to 4 at Nerrigundah in Feb-Jun. Young in nest in Mar. (IJ)

Black Rat *Rattus rattus*

Up to 6 at Pedro in Jul-Dec; 1 at Nerrigundah in Jun. (JS/IJ)

OTARIDIDAE

Australia Fur Seal, *Arctocephalus pusillus*

Up to 5 at Riverside Park, Moruya from Jul-Dec.

Seal sp. Eleven recorded at Burrewarra Point in Jun; 3 at Broulee in Jul; and off rocks at Mystery Bay in Jul.

CANIDAE

Red Fox *Vulpes vulpes*

Three at Comerang in Aug-Dec, including young, 2 in Jan-Apr and Jul; 1 at Broulee in Sep; 1 at Pedro Swamp in Jun, at Pedro in Jul and Sep, at Nerrigundah in Jun and at Coolagolite in May and Sep.

LEPORIDAE

Rabbit *Oryctolagus cuniculus*

Seven at South Durras in Feb-Mar and Dec; up to 6 at Broulee in Jan and Sep-Oct; 4 at Mossy Point in Oct, 1 in Nov; 2 at Eurobodalla Rd in Aug; 1 at Pedro in Jan. (JCof/GMcV/LM/SH/PB/JM/JS)

CERVIDAE

Fallow Deer *Dama dama*

Three at West Flat west of Bodalla in Feb. (JC)

Sambar Deer *Cervus unicolor*

Two at Coolagolite in Aug-Sep; 1 at West Flat west of Bodalla in Feb. (DO/JC)

DELPHINIDAE

Bottle-nosed Dolphin *Tursiops truncatus*

Nine at South Durras in Dec, 6 in Jun; 1 at South Head, Moruya in Oct. (JCof/SH/PB)

BALAENOPTERIDAE

Humpback Whale *Megaptera novaeangliae*

Northward movement off Burrewarra Point and Mystery Bay in Jun; southward movement reported off Mossy Point, Kianga and Mystery Bay in Sep-Nov.

BALAENIDAE

Southern Right Whale *Eubalaena australis*

One off Mystery Bay in Nov. (BH)

REPTILES

CHELIDAE

Snake-necked Turtle *Chelodina longicollis*

Up to 20 recorded at Comerang in Jan-Apr, Oct-Dec; 10 at Newstead Pond in South Head, Moruya in Oct; up to 9 at Nerrigundah in Apr-May, Jul-Dec; 1 at Pedro Swamp in Oct and at Eurobodalla Rd in Aug. (JC/SH/PB/IJ/JM)

SCINCIDAE

Yellow-bellied Water-skink *Eulamprus heatwolei*

Up to 4 at Comerang in Jan-Apr and Sep-Dec; 1 at Broulee in Sep-Oct.

Eastern Water-skink *Eulamprus heatwolei*

One at Pedro in Nov. (JS)

Dark-flecked Garden Sunskink *Lampropholis delicata*

Up to 4 at Mossy Point in Oct-Nov; 1 at Long Nose Point in Oct; recorded at Pedro in Oct and Pedro Swamp in Dec.

Pale-flecked Garden Sunskink *Lampropholis guichenoti*

More than 5 at Pedro Swamp in Oct-Dec; 1 at Long Nose Point in Oct; recorded at Pedro in Oct. (JM/SH/PB/JS)

Weasel Skink *Saproscincus mustelinus*

One at Pedro Swamp in Jan.

Eastern Blue-tongue *Tiliqua scincoides*

Up to 3 at Comerang in Jan-Mar, Sep-Dec; 1 at Broulee in Jan-Feb and Apr; 1 at Mystery Bay in Jan; 1 at Punkalla in Dec. (JC/GMcV/LM/MA)

AGAMIDAE

Jacky Lizard *Amphibolurus muricatus*

Singles at South Durras and Broulee in Feb and Oct, at Long Nose Point in Oct, at Pedro Swamp in Feb-Mar, at Coolagolite in Nov-Dec. Hatching of very small lizards reported at Bergalia in Feb.

Gippsland Water Dragon *Physignathus lesueurii howittii*

Up to 10 at Comerang in Jan-Apr and Oct-Dec; 3 at Eurobodalla Regional Botanic Gardens in Oct. (JC/SH/PB)

VARANIDAE

Lace Monitor *Varanus varius*

Up to 5 at Pedro in Jan and Oct-Dec; up to 3 at Pedro Swamp from Jan-Mar and Aug-Dec; 1 or 2 at Coolagolite in Jan-Feb, Apr and Oct-Dec; 1 at Comerang in Jan-Mar and Dec; 1 at Nerrigundah in Jan-Feb and Oct-Dec; 1 at Brou Lake in Nov.

BOIDAE

Diamond Python *Morelia spilota*

Four reported at Mystery Bay in Sep and 1 in Jan; 1 at Comerang in Feb. (MA/JC)

ELAPIDAE

Common Death Adder *Acanthophis antarcticus*

One at Maulbrooks Rd in Nov. (SMG)

Common Green Tree Snake *Dendrelaphis punctulata*

One at Brou Lake in Aug. (A Brennan). First record for the ENHS since 2002.

Golden-crowned Snake *Cacophis squamulosus*

One at Nerrigundah in Mar. (IJ) First record for the ENHS.

Eastern Small-eyed Snake *Cryptophis nigrescens*

One at Pedro Swamp in May. (JM)

Mustard-bellied Snake *Drysdalia rhodogaster*

Two at Quirriga Beach in Mar; 1 at Wallaga Lake in Feb. (RSor/FM)

Red-bellied Black Snake *Pseudechis porphyriacus*

Recorded in all months: up to 4 at Nerrigundah in Jan-Apr and Aug-Dec; up to 3 at Comerang in Jan-Apr and Aug-Dec; 2 at Mystery Bay in Nov, 1 in Feb, May and Aug; 1 or 2 at Pedro Swamp in Mar-May, Jul-Dec; singles at Mossy Point in Oct; at Pedro in May-Jul, Aug-Dec; at Coolagolite in Feb and Sep-Nov; at Broulee in Jul-Aug and Nov, at Barlings Swamp in Sep.

AMPHIBIANS

MYOBATRACHIDAE

Common Eastern Froglet *Crinia signifera*

Common and widespread in coastal lands, woodland: recorded from Jan-Dec at Barlings Swamp, Eurobodalla Regional Botanic Gardens, Moruya, South Head, Moruya, Pedro Swamp, Bumbo Rd, Comerang, Eurobodalla Rd, Nerrigundah and Gulaga.

Brown-striped Frog *Limnodynastes peronii*

Widespread and common on coast: recorded from Jan-Jun, Nov-Dec at Moruya, Pedro Swamp, Bumbo Rd, Comerang and Nerrigundah.

Brown Toadlet *Pseudophryne bibronii*

Calling at Pedro Swamp in Nov.

Dendy's Toadlet *Pseudophryne dendyi*

Calling at Pedro Swamp in Mar-Apr, and at Moruya in Apr. (JM/FM)

Tyler's Toadlet *Uperoleia tyleri*

Calling at Pedro Swamp in Feb-Aug.

HYLIDAE

Screaming Tree Frog *Litoria quiritatus (dentata)*

One at Mossy Point in Oct-Nov; 1 at South Head, Moruya in Jan and Dec; calls at Pedro Swamp in May and Nov-Dec, at Comerang in Jan-Feb, Apr, Jul, Sep-Dec.

Brown Tree Frog *Litoria ewingii*

Calls at Pedro Swamp in May and Jul.

Eastern Sedge Frog *Litoria fallax*

One at Eurobodalla Regional Botanic Gardens in Oct; calls at Batemans Bay Water Gardens in Nov, at Moruya in Apr, at Pedro Swamp in Sep-Dec, and at Meringo in Sep. (SH/PB/FM/JM)

Jervis Bay Tree Frog *Litoria jervisiensis*

Calls at Pedro Swamp in May-Jun.

Peron's Tree Frog *Litoria peronii*

Common and widespread in coastal areas: 2 or calls at Pedro Swamp in Jan-Apr, Jul-Nov; 1 at Coolagolite in Feb; calls at Comerang Jan-Apr and Aug-Dec.

Leaf-green River Tree Frog *Litoria nudidigitus*

One at Eurobodalla Regional Botanic Gardens in Oct; calls at Deua National Park in Aug. (SH/PB/JM)

Tyler's Tree Frog *Litoria tyleri*

One or calls at Pedro Swamp in Jan-Apr and Aug-Dec.

Verreaux's Tree Frog *Litoria verreauxii*

Common in coastal areas: recorded throughout the year at Pedro Swamp and Comerang.

INSECTS

DRAGONFLIES, DAMSELFLIES

Common Bluetail *Ischnura heterosticta*: Jan-Apr, Oct-Dec.

Metallic Ringtail *Austrolestes cingulatus*: Sep.

Blue-spotted Hawker *Adversaechna brevistyla*: Apr.

Australian Emperor *Hemianax papuensis*: Mar, Dec.

Australian Emerald *Hemicordulia australiae*: Jan-May, Sep-Dec.

Tau Emerald *Hemicordulia tau*: Jan-Apr, Sep-Dec.

Common Archtail *Nannoplebia risi*: Jan.

Blue Skimmer *Orthetrum caledonicum*: Jan-Apr, Nov-Dec.

Fiery Skimmer *Orthetrum villosivittatum*: Jan.
Slender Skimmer *Orthetrum sabina*: Apr.
Scarlet Percher *Diplacodes haematodes*: Feb-Apr, Sep-Dec.
Wandering Percher *Diplacodes bipunctata*: Feb-Mar, Dec.
Black-faced Percher *Diplacodes melanopsis*: Feb-Mar.
Graphic Flutterer *Rhyothemis graphiptera*: Jan, Dec.
Common Glider *Tramea loewii*: Jan-Feb.

GRASSHOPPERS, CRICKETS AND KATYDIDS

Olive Green Coastal Katydid *Austrosalomona falcata*: Feb-Mar.
Australian Garden Katydid *Caedicia simplex*: Mar.
Black Field Cricket *Teleogryllus commodus*: Feb.
Mole Cricket *Gryllotalpa sp.*: Feb.
Yellow-winged Locust *Gastrimargus musicus*: Jan-Mar.

BUGS, CICADAS

Harlequin Bug *Dindymus versicolor*: Jan-Feb, Nov-Dec
Green Vegetable Bug *Nezara viridula*: Feb-Apr, Sep-Nov.
Bronze Orange Bug *Musgraveia sulciventris*: Jan-Apr, Oct-Dec.
Metallic Shield Bug *Scutiphora pedicellata*: Jan, Nov-Dec.
Orange Assassin Bug *Gminatus australis*: Feb-Mar, Sep.
Horehound Bug *Agonoscelis rutila*: Mar, Nov.
Water Strider Family *Gerridae*: Feb-Mar.
Water Boatman Family *Corixidae*: Feb-Mar.
Backswimmer Family *Notonectidae*: Feb-Mar.
Razor Grinder *Henicopsaltria eydouxii*: Jan-Mar, Dec.
Cherry-nose *Macrotristria angularis*: Oct.
Yellowbelly *Psaltoda harrisii*: Dec.
Black Prince *Psaltoda plaga*: Jan-Feb, Nov-Dec.
Red-eye *Psaltoda moerens*: Jan-Feb.
Greengrocer *Cyclochila australasiae*: Jan-Mar, Nov-Dec.
Beach Squeaker *Haemopsalta aktites*: Jan-Mar, Sep-Dec.
Black Squeaker *Atrapsalta encaustica*: Sep.
White Drummer *Arunta perulata*: Jan, Dec.
Double Drummer *Thopha saccata*: Jan.
Golden Twanger *Diemeniana euronotiana*: Jan.
Double-spotted Cicada *Galanga labeculata*: Jan-Feb, Nov-Dec.
Alarm Clock Squawker *Pauropsalta mneme*: Feb.
Silver Princess *Yoyetta celis*: Jan-Mar, Sep-Dec.

BEETLES

Repsimus Beetle *Repsimus aeneus*: Jan-Feb.
Argentinian Scarab *Cyclocephala signaticollis*: Jan, Nov-Dec.
Green Scarab *Diphucephala colaspidoides*: Jan-Feb, Apr, Sep-Dec.
Cashew (White) Christmas Beetle *Anoplognathus pallidicollis*: Feb, Nov.
Queen Christmas Beetle *Anoplognathus viriditarsis*: Jan-Feb, Dec
Emerald Tip Christmas Beetle *Anoplognathus brunnipennis*: Jan.
Campfire Christmas Beetle *Anoplognathus concolor*: Feb, Nov.
Washerwoman Christmas Beetle *Anoplognathus porosus*: Nov.
Fiddler Beetle *Eupoecila australasiae*: Mar, Dec.
Nectar Scarab *Phyllotocus navicularis*: Dec.
Nectar Scarab *Phyllotocus scutellaris*: Nov.
Flower Scarab *Microvalgus sp.*: Nov-Dec.
Pruinose Scarab *Sericesthis geminata*: Nov-Dec.
Dusky Pasture Scarab *Sericesthis nigrolineata*: Jan, Sep, Nov-Dec.

Jewel Beetle *Castiarina bella*: Oct-Nov.
Jewel Beetle *Castiarina brutella*: Dec.
Jewel Beetle *Castiarina costata*: Nov-Dec.
Lycid Mimic Jewel Beetle *Castiarina ertythroptera*: Oct-Nov.
Jewel Beetle *Castiarina imitator*: Nov.
Postage Stamp Jewel Beetle *Castiarina producta*: Oct.
Click Beetle *Lingana sp.*: Oct.
Net-winged Beetle *Porrostoma rhipidium*: Jan, Sep, Dec.
Tricolour Soldier *Chauliognathus tricolor*: Jan.
Plague Soldier *Chauliognathus lugubris*: Mar-Apr, Dec.
Clerid Beetle *Eleale pulcha*: Nov.
Pintail Flower Beetle *fam. Mordellidae*: Nov-Dec.
Honeybrown Beetle *Ecnolagria grandis*: Jan-Feb, Nov-Dec.
Tiger Longicorn *Aridaeus thoracicus*: Jan, Nov-Dec.
Longicorn *Pempsamacra tillides*: Jan, Nov.
Longicorn *Ancita margincollis*: Mar.
Longicorn *Amphirhoe sloanei*: Jan, Nov.
Longicorn *Stenoderus concolor*: Nov.
Stinking Longicorn *Stenoderus suturalis*: Jan, Nov-Dec.
Longicorn *Syllitus rectus*: Nov-Dec.
Dotted Paropsine Leaf Beetle *Paropsis atomaria*: Oct-Nov.
Pittosporum Leaf Beetle *Lamprolina aeneipennis*: Oct.
Metallic Green Acacia Beetle *Calomela ruficeps*: Jan-Feb, Sep, Nov-Dec.
Acacia Leaf Beetle *Dicranosterna immaculata*: Jan-Apr, Sep, Nov-Dec.
Small Blue Leaf Beetle *Nisotra breweri*: Jan-Feb, Oct-Nov.
Metallic Flea Beetle *Altica sp.*: Sep-Oct.
Banded Pumpkin Beetle *Aulocophora hilaris*: Jan-Feb, Nov.
Three-lined Potato Beetle *Lema daturaphila*: Mar-Apr.
Belid Weevil *Rhinotia brunnea*: Jan.
White-fringed Weevil *Naupactis leuciloma*: Mar.
Fungus Beetle *Episcaphula australis*: Sep.
Yellow Shouldered Ladybird *Apolinus lividgaster*: Jan-Mar.
Transverse Ladybird *Coccinella transversalis*: Jan-Feb, Oct-Dec.
Variable Ladybird *Coelophora inaequalis*: Jan-Feb, Apr, Sep, Nov.
Mealybug Ladybird *Cryptolaemus montnouzieri*: Jan-Feb, Sep-Nov.
Twenty-six Spotted Ladybird *Epilachna vigintisexpunctata*: Jan-Feb, Oct-Dec.
Steelblue Ladybird *Halmus chalybeus*: Jan-Mar, Aug-Dec.
Common Spotted Ladybird *Harmonia conformis*: Jan-Feb, Apr, Sep.
Tortoise Shelled Ladybird *Harmonia testudinaria*: Jan-Feb, Apr.
Spotted Amber Ladybird *Hippodamia variegata*: Jan-Apr, Oct-Dec.
Fungus-eating Ladybird *Illeis galbula*: Feb-Apr, Sep, Nov-Dec.
Striped Ladybird *Micraspis frenata*: Jan-Apr, Aug-Dec.
Orcus bilunulatis: Mar-Apr, Jul-Aug, Dec.
Minute Two Spotted Ladybird *Diomis notescens*: Nov.
Archegleis edwardsi: Jan.

FLIES

Native Drone Fly Family *Syrphidae*: Oct-Nov.
Flower Feeding March Fly *Scaptia auriflora*: Oct.
Colepia Robber Fly *Colepia ingloria*: Mar.
Giant Yellow Robber Fly *Blepharotes coriarius*: Jan.
Robberfly *Ommatius coeraebus*: Feb.
Australian Leafroller Tachinid Fly *Trigonospila brevifacies*: Nov-Dec.
Common Brown Crane Fly *Leptotarsus costalis*: Nov.
Wallaby Louse Fly *Ortholfersia sp.*: Nov-Dec.

MOTHS

HEPIALIDAE

Fraus sp. Mar.

Forest Splendid Ghost Moth *Aenetus exima*: Feb.

Bent-wing Ghost Moth *Zelotypia stacyi*: Mar.

Bardi Ghost Moth *Abantiades (Trictena) altripalpis*: Apr.

Mustard Ghost Moth *Abantiades hyalinatus*: Mar.

Bubbly Ghost Moth *Abantiades aphenges*: Apr.

Elhamma australasiae: Feb, Apr.

Pale Oxycanus *Oxycanus silvanus*: Jun.

PSYCHIDAE

Cone Case Moth *Lepidoscia* sp.: May.

Lomera lurinda: Oct.

TINEIDAE

Fungus Moth *Edosa xystidophora*: Apr, Nov.

Fungus Moth *Opogona stenocraspeda*: Apr.

PLUTELLIDAE

Diamondback Moth *Plutella xylostella*: Sep-Nov.

OECOPHORIDAE

Banded Concealer Moth *Chrysonoma fascialis*: Mar, Dec.

Ocystola paulinella: Sep.

Compsotopha strophella: Sep.

Acantholena siccella (unplaced): Sep.

Chezala brachypepla: Dec.

Chezala privatella: Mar-Apr.

Oxythecta acceptella: Jul.

Oxythecta lygrosema: Mar, May.

Tachystola hemisema: Sep, Dec.

Tachystola stenoptera: Apr-May.

Philobota latifessella: Sep.

Philobota transversella: Sep, Nov.

Concealer Moth *Isomoralla curricularia*: Aug-Sep.

Eusemocosma pruinosa (unplaced *pruinosa* group): Sep.

Eulechria psilopla: Jan.

Machetis aphrobola: Sep.

Ischnomorpha chariurga: Sep.

Stathmopoda crocophanes: Oct.

Stathmopoda melanocheira: Oct.

Cryptophasa irrorata: Jan.

Cryptophasa rubescens: Nov-Dec.

Leistarcha scitissimella: Sep.

Agriophara confertella: Jan, Sep-Oct.

GELECHIIDAE

Ardozyga catarrhacta: Sep.

LECITHOCERIDAE

Crocantides prasinopis: Apr, Sep-Oct.

TORTRICIDAE

Vacuana vacuana: Oct, Dec.

Fuscicepsana fuscicepsana: Aug-Sep.

(*Capua*) *euphona*: Oct.

Light Brown Apple Moth *Epiphyas postvittana*: Sep.

HELICOSMA GROUP

Helicosma argyroleuca: Oct.

ZYGAENIDAE

Forester Moth *Pollanisus* sp.: Jan.

Satin-green Forester Moth *Pollanisus viridipulverulenta*: Jan.

LIMACODIDAE

Four-spotted Cup Moth *Doratifera quadriguttata*: Larva in Jan.

PTEROPHORIDAE

Geranium Plume Moth *Sphenarches anisodactylus*: Apr.

Speedwell Pterror *Sinpunctiptilia emissalis*: May.

THYRIDIDAE

Aglaopus pyrrhata: Sep.

PYRALIDAE

Meyriccia latro: May.

Mimaglossa nauplialis: May, Aug.

Orthaga thyrisalis: Oct.

Oenogenes fugalis: Mar.

Meal Moth *Pyralis farinalis*: Jan, Mar-Apr, Nov.

Couchgrass Webworm *Faveria tritalis*: Jan.

Addyme ferrorubella: Feb.

Lucerne Seed Web Moth *Etiella behrii*: Aug-Dec.

Corynophora lattivitalis: Feb.

Hednota pleniferellus: Feb-Apr.

Hednota bivittella: Feb, Apr.

Calamotropha delatalis: Nov.

Culladia cuneiferellus: Mar, Oct-Nov.

Pond Moth *Hygraula nitens*: Apr-May.

Scoparia exhibitalis: Sep.

Eudonia (*Scoparia*) *aphrodes*: Jan, Sep.

Scoparia spelaea: Sep.

Scirpophaga imparellus: Feb-Mar, Nov.

White Rush Moth *Tipanaea patulella*: Jan, Oct-Dec.

Trigonoorda gavisalis: Nov.

Cabbage Centre Grub *Hellula hydralis*: Oct, Dec.

Cotton Web Spinner *Achyra affinitales*: Aug.

Achyra nigrirenalis: Aug, Nov.

Tree Lucerne Moth *Uresiphita ornithopteralis*: Sep-Nov.

Nomophila corticalis: Sep.

Beet Webworm *Spoladea recurvalis*: Feb-Apr.

Nacoleia rhoeoalis: Jan-May, Sep.

Glyphodes microta: Jan.

Eggfruit Caterpillar *Sceliodes cordalis*: Mar-Apr.

Ischnurges illustralis: Mar.

Sod Webworm *Herpetogramma licarsisalis*: May.

Lesser Leaf-roller *Cnapalocrocis poeyalis*: Feb.

GEOMETRIDAE

Chlenias banksiaria group: May.

Chlenias sp.: May.

Dysbatus (*Stibaroma*) *stenodesma*: Sep-Oct.

Wave-lined Geometrid *Gastrina cristaria*: Sep, Nov.

Ragged Geometrid *Amphiclasta lygaea*: Jul.

Black Geometrid *Melanodes anthracitaria*: Jan, Jul-Oct.
Black-banded Wedge-Moth *Capusa senilis*: Feb.
Bracken Moth *Idiodes apicata*: Sep.
Dodonaea Moth *Parosteodes fictiliaria*: Apr.
Fripped Bark Moth *Pholodes sinistraria*: Sep.
Long-fringed Bark Moth *Phelotis cognata*: Aug-Nov.
Loop-line Bark Moth *Ectropis bispinaria*: Nov.
Mahogany Bark Moth *Hypomecis externaria* (unplaced): Jan, Oct.
Hakea Moth *Oenochroma vinaria*: Feb.
Antictenia punctunculus: Jan-Feb, Oct.
Fallen Bark Lopper *Gastrophora henricaria*: Jul, Nov-Dec.
Pink Arhodia *Arhodia lasiocamparia*: Oct-Nov.
Spring Taxeotis *Taxeotis perlinearia*: Sep, Nov.
Oval-spot Taxeotis *Taxeotis stereospila*: Oct.
Neat Epidesmia *Epidesmia tryxaria*: Jan-Mar, Sep-Dec.
Pale Grey Health Moth *Dichromodes estigmara*: Feb, Sep.
Pink Cernia *Cernia amyclaria*: Sep-Oct.
Cyneoterpna wilsoni: Jan, Jul, Sep.
Red-lined Geometrid *Crypsiphona ocularia*: Sep, Dec.
Twin Emerald *Chlorocoma dichloraria*: Jan, Apr, Oct-Nov.
Golden-fringed Emerald *Chlorocoma assimilis*: Aug.
Cyclophora (Anisodes) obstataria: Aug.
Cream Wave *Scopula perlata*: Feb-Apr, Aug-Dec.
Plantain Moth *Scopula rubraria*: Jan-Apr, Sep-Dec.
Varied Wave *Scopula optivata*: Feb, Apr, Sep-Oct.
Flecked Wave *Idaea philocosma*: Sep.
Mecynata Moth *Chrysolarentia mecynata*: Jan-Apr, Aug-Nov.
Black-lined Carpet Moth *Chrysolarentia plagiocausta*: Sep.
Plesia Carpet *Chrysolarentia plesia*: May.
Elegant Carpet *Chrysolarentia phaedra*: Oct.
Sodaliata Moth *Epyaxa sodaliata*: Oct.
Subidaria Moth *Epyaxa subidaria*: Oct-Nov.
Apple Looper *Phrissogonus laticostata*: Jan, Aug-Oct.
Red-spotted Delicate *Epicyrma rubropunctaria*: Jan-Feb, May, Sep, Nov.
Sea-blue Delicate *Poecilasthena thalassias*: Jan, Apr.
Native Cranberry Moth *Poecilasthena pulchraria*: Sep.

LASIOCAMPIDAE

She-oak Moth *Pernattia pusilla*: Nov-Dec.
Wattle Snout Moth *Pararguda nasuta*: Nov.
Gum Snout Moth *Entometa apicalis*: Apr. Female laying eggs.
Banded Porela *Anastrolus porphyrica*: Jan.

ANTHELIDAE

White-stemmed Gum Moth *Chelepteryx collesi*: May.
Urticating Anthelid *Anthela repleta*: Larva in Oct.
Grey-headed Anthelid *Anthela excellens*: Feb.
Common Anthelid *Anthela acuta*: Sep-Oct.

SATURNIDAE

Emperor Gum-moth *Opodiphthera eucalypti*: Oct, larva in Nov.
Helena Gum-moth *Opodiphthera helena*: Sep.

SPHINGIDAE

Convolvulus Hawk Moth *Agrius convolvuli*: Feb, Oct.
Vine Hawk Moth *Hippotion celerio*: Feb, Oct.

Coprosma Hawk Moth *Hippotion scrofa*: Jan-Feb, Sep-Oct, Dec.

NOTODONTIDAE

Neola Moth *Neola semiaurata*: Larva in Mar.

Gum Notodontid Moth *Destolmia lineata*: Sep.

LYMANTRIIDAE

Iropoca Moth *Iropoca rodundata*: Jul.

White Cedar Moth *Leptocneria reducta*: Feb-Mar, Sep.

Pink Browntail Moth *Urocoma (Euproctis) baliolalis*: Apr, Jun, Nov.

ARCTIIDAE

Snowy Footman *Termessa nivosa*: Oct.

Propitious Footman *Termessa laeta*: Oct-Nov.

Favoured Footman *Termessa gratiosa*: Oct.

Hookwing Footman *Termessa discrepans*: Jan, Nov.

Little Mask Philenora *Philenora aspectalella*: Apr.

Banded Lichen Moth *Lyclene structa*: Feb, Apr, Oct-Nov.

Spotted Lichen Moth *Asura cervicalis*: Nov-Dec.

Lydia Lichen Moth *Asura lydia*: Apr-May.

Adorned Footman *Thallarcha phalorota*: Mar.

Pied Halone *Halone prosenes*: Oct.

Variable Halone *Halone sejuncta*: Jan-May, Sep.

Eastern Halone *Halone coryphoea*: Jan.

Reticulated Footman *Scaptosyle dichotoma*: Jan, Nov.

Lichen-eating Caterpillar *Brunia replana*: Feb-Apr, Oct-Nov.

Heliotrope Moth *Utethesia pulchelloides*: Mar-Apr, Sep-Oct.

Heliotrope Moth *Utethesia lotrix*: Sep-Oct.

Magpie Moth *Nyctemera amicus*: Jan-Apr, Sep-Oct, Dec.

Dark-spotted Tiger Moth *Ardices (Spilosoma) canescens*: Oct.

Crimson Tiger Moth *Ardices (Spilosoma) curvata*: Feb, Sep-Oct.

Tiger Moth *Amata nigriceps*: Jan-Feb, Oct-Nov.

Pale Spotted Tiger Moth *Amata aperta*: Feb.

NOCTUIDAE

Long-snouted Moth *Prigonistis demonias*: Apr, Sep.

Hypena pelodes: Apr.

Double-line Snout Moth *Lophotoma diagrapha*: Jan, Apr.

Calathusa hypotherma: Apr, Oct.

Eastern Calathusa *Calathusa basicunea*: Jan, Nov.

Calathusa mesospila: Sep-Oct.

Three-lined Snout *Meranda susialis*: Jan, Mar-Apr, Oct.

Variable Spot-wing *Alapadna pauropis*: Jan-Mar, May, Sep.

Plain Pantydia *Pantydia sparsa*: Jan, Mar-Apr, Sep-Oct.

Pantydia capistrata: Feb, Apr, Sep.

Chestnut Crest *Crioa hades*: Sep.

Old Lady Moth *Dasypodia selenophora*: Jan, Nov-Dec.

Western Praxis *Praxis marmarinopa*: Oct.

Edward's Praxis *Praxis edwardsi*: Feb.

Triangle Owlet *Trigonodes hyppasia*: Jan-May, Sep-Oct.

Buzara propyrrha: Feb.

Buzara (Dysgonia) frontinus: Feb.

Tobacco Looper *Chrysodeixis argentifera*: Aug-Oct.

Eriosoma Moth *Chrysodeixis eriosoma*: Oct.

Eugenia Caterpillar *Targalla delatrix*: Feb, Apr.

Gum-leaf Skeletoniser Moth *Uraba lugens*: Apr.

Halved Tuft-moth *Acatapaustus metallopa*: Nov-Dec.

Cycota Tuft-moth *Nola cycota*: May, Aug-Dec.
Nola pycnopasta: May.
Nola pygmaeodes: Oct.
Brown-bar Moth *Maliattha amorphia*: Jan-Apr, Nov.
Yellow-banded Day Moth *Eutrichopidia latinus*: Jan-Feb, Sep.
Vine Moth *Phalaenoides glycinae*: Feb.
Mistletoe Moth *Comocrus behri*: Jan-Feb.
Green-blotched Moth *Cosmodes elegans*: Apr-Oct.
Common Cutworm *Hypoperigea tonsa*: Aug-Oct.
Eastern Alchemist *Aedia leucomelas acronyctoides*: Apr.
Green-tinged Moth *Prometopus inassueta*: Feb.
White-streaked Moth *Acrapex exsanguis*: Oct.
Tawny-collared Noctuid *Proteuxoa testaceicollis*: Apr-May.
Horseshoe Noctuid *Proteuxoa tibiata*: Sep.
Thoracolopha verecunda: May, Sep-Oct.
Australian Armyworm *Mythimna convecta*: Oct.
Double-lined Noctuid *Leucania diarecta*: May, Sep-Nov.
White-spot Armyworm *Leucania uda*: May, Oct.
Elusa semipecten: Feb.
Black Cutworm *Agrotis ipsilon*: Sep, Nov.
Bogong Moth *Agrotis infusa*: Sep-Nov.
Brown Cutworm *Agrotis munda*: Feb, May, Aug-Oct.
Variable Cutworm *Agrotis porphyricollis*: Apr, Aug, Oct-Nov.
Pale Grass Moth *Heliocheilus moribunda*: Mar.
Native Budworm *Helicoverpa punctigera*: Jan-Feb, Aug- Dec.
Corn Earworm *Helicoverpa armigera*: Oct.

BUTTERFLIES

HESPERIIDAE

Splendid Ochre *Trapezites symmometus*: Jan-Mar.
Barred Skipper *Dispar compacta*: Feb-Apr.
Banded Skipper *Dispar parvulus*: Oct.
Lilac Grass-skipper *Toxidia doubledayi*: Oct-Dec.
White-brand Grass-skipper *Toxidia rietmanni*: Oct-Nov.
Painted Sedge-skipper *Hesperilla picta*: Nov.
Narrow-brand Grass-dart *Ocybadistes flavovittata*: Jan-Apr, Nov-Dec.
Greenish Grass-dart *Ocybadistes walkeri*: Sep-Dec.
Greenish Darter *Telicota ancilla*: Oct-Nov.

PAPILIONIDAE

Blue Triangle *Graphium sarpedon choredon*: Jan-Mar, Oct.
Orchard Swallowtail *Papilio aegaeus*: Jan-May, Oct-Dec.

PIERIDAE

Lemon Migrant *Catopsilia pomona*: Oct.
Imperial Jezebel *Delias harpalyce*: Apr, Oct.
Black Jezebel *Delias nigrina*: Jan, Mar-Dec.
Spotted Jezebel *Delias aganippe*: Feb-Mar, Oct, Dec.
Caper White *Belenois java*: Mar, Oct-Dec.
Narrow-winged Pearl-white *Elodina padusa*: Oct. New species for the Eurobodalla.
Cabbage White *Pieris rapae*: Jan-Dec.

NYMPHALIDAE

Dusky Knight *Ypthima arctous*: Jan-Apr, Oct-Dec.
Brown Ringlet *Hypocysta metirius*: Jan-May, Aug-Dec.
Varied Swordgrass Brown *Tisiphone abeona*: Jan-Apr, Oct-Dec.

Marbled Xenica *Geitoneura klugii*: Feb.
Forest Brown *Argynnina cyrili*: Sep.
Common Brown *Heteronympha merope*: Jan-May, Oct-Dec.
Spotted Brown *Heteronympha paradelpha*: Mar.
Bank's Brown *Heteronympha banksi*: Mar.
Tailed Emperor *Polyura sempronius*: Apr.
Meadow Argus *Junonia villida*: Jan-May, Sep-Dec.
Australian Painted Lady *Vanessa kershawi*: Jan-Apr, Aug-Dec.
Yellow Admiral *Vanessa itea*: Jan-Mar, Sep-Dec.
Monarch *Danaus plexippus*: Mar-Apr.

LYCAENIDAE

Copper Ant-blue *Acrodipsas cuprea*: Jan. First record for ENHS.
Bright Copper *Paralucia aurifer*: Sep-Oct.
Imperial Hairstreak *Jalmenus evagorus*: Mar, Oct-Dec.
Dark Pencil-blue *Candalides consimilis*: Nov. First record for ENHS.
Varied Dusky-blue *Candalides hyacinthina*: Mar, Aug-Dec.
Blotched Dusky Blue *Candalides acasta*: Mar, Aug-Sep, Nov.
Two Spotted Line-blue *Nocaduba biocellata*: Oct.
Dull Heath-blue *Noelucia mathewi*: Oct. First record for ENHS.
Common Grass Blue *Zizina labradus*: Jan-May, Aug-Dec.

WASPS, BEES

Bottlebrush Sawfly *Pterygophorus cintus*: Jan-Feb.
Sawfly *Pergagraptia latreilli*: Mar.
Black (Blue) Flower Wasp *Discolia sorrow*: Jan-Feb, Dec.
Orange Caterpillar Parasite Wasp *Netelia producta*: Jan-Apr, Aug-Dec.
Orange-collared Spider Wasp *Ferreola handschini*: Apr.
Common Paper Wasp *Polistes humilis*: Jan-Apr, Nov-Dec.
Blue Ant Wasp *Diamma bicolor*: Jan.
Blue-banded Bee *Amegilla cingulata*: Jan-Apr, Dec.
Teddy Bear Bee *Amegilla bobiformis*: Jan-Mar.
Carpenter Bee *Xylocopa* sp.: Jan.
Masked Bee *Hylaeus nubilosus*: Nov.
Neon Cuckoo Bee *Thyreus nitidulus*: Jan.
Reed Bee *Exoneura* sp.: Oct.
Gold-tipped Leaf Cutter Bee *Megachile* sp.: Dec.
Nomia Bee *Lipotriches* sp.: Sep.

OTHER INVERTEBRATES

SPIDERS

Species of spider commonly recorded:
Huntsman Spider *Delena cancerides*
White-tailed Spider *Lampona cylindrata*
Black House Spider *Badumna insignis*
White Porch *Cryptachaea gigantipes*
St. Andrew's Cross Spider *Agriope keyserlingi*
Leaf-curling Spider *Phonognatha graeffei*
Daddy Long-legs *Pholcus phalangoides*
Water Spider *Dolomedes australiensis*
Wheel-weaving Garden Spider *Eriophora transmarinas*
Golden Orb-weaving Spider *Nephila* sp.
Wolf Spider *Tasmanicosa* sp.
Spiny Spider *Austrocantha minex*

Two-spined Spider *Poecilopachys australasia*
Flat Rock Spider *Hemiocloea major*
Splendid Peacock Spider *Maratus splendens*
Prowling Jumping Spider *Opisthoncus grassator*
Hoary Servaea *Servaea incana*
Lucrida Jumping Spider *Sandalodes superbus*
Golden-tailed Jumping Spider *Astia maculata*
Jovial Jumping Spider *Apricia jovialis*
Bronze Aussie Jumping Spider *Helpis minitabunda*
Whip Spider *Ariamnes colubrinus*
Two-tailed Spider *Tamopsis fickerti*
White-spotted Swift Spider *Nyssus albopunctatus*
Orange-legged Swift Spider *Nyssus coloripes*

SLUGS

Red-triangle Slug *Triboniophorus graffei*: Oct-Nov.

Contributors to this issue

D Allardice, Moruya.
M Anderson, (MA) Mystery Bay.
D Bertzeletos, (DB) Surfside.
I Bevege, Lilli Pilli.
A Brennan, Mystery Bay.
V Brown, ACT.
M Burk, South Durras.
A Christiansen, (AC) Mystery Bay.
S Christiansen, Dalmeny.
G Clark, (GC) ACT.
N Clark, (NC) Broulee.
R Clunes, Surfside.
J Coffey, (JCoF) South Durras.
J & P Collett, (JC) Comerang.
M Craig, Tuross.
A Cram, Moruya.
L Dampney, Moruya.
L Dann, Moruya.
F Ellison.
C Findlay, Congo.
M Fleming & A Kerle, Lilli Pilli.
M Fyfe, Broulee.
P Gatenby (PG), Broulee.
L Gibson, Dalmeny.
S & M Guppy, (SMG) Moruya.
B Harvey, (BH) Mystery Bay.
S Heyward, Moruya Heads
S Holiday & P Buckley, (SH/PB) ACT
J Holmes, Pedro.
N Hordern, Moruya.
R Horsfall, Meringo.
G Hounsell, (GH) Broulee.
.

V Howard, South Durras.
S Jameson, Moruya.
I Joyce, (IJ) Nerrigundah.
D & H Kay, (DHK) Bergalia.
C Leslie, Moruya Heads.
E Lipscombe, Moruya.
A Loveband, Lilli Pilli.
G Macnamara, (GM) Tuross.
A Marsh, (AM) Bingie.
C Marshall, Dalmeny.
P Martin.
J Mather, Lilli Pilli.
G McVeigh, (GMcV) ACT
L McVeigh, (LM) ACT
N Montgomery, (NM) Meringo.
J Morgan, (JM) Pedro Swamp.
W Nagle, Broulee.
A Nicol, Moruya Heads.
D Ondinea, (DO) Coolagolite.
S Pearson, Narooma.
M Penrith, Long Beach.
W Platts, Broulee.
H Ransom, (HR) Mossy Point.
T & A Ross, Kianga.
J Sagar, Pedro.
R Soroka, Surfside.
R Stacey & A Rees, (RS/AR) Moruya.
D Stevenson, Moruya Heads.
G Tedder, Bergalia.
P Warburton, Batemans Bay.
H Watson, Narooma.

Field Meeting (FM)